stitchin' time

No. 26 35p



Jones/brother

contents

Fairisle Cardigan	3–5
Ladies Scarf, Mittens and Hat	5–6
Baby's Sweater and Bonnet	8
Boy's Sport Sweater	9
Child's Check Dress	10
Mohair Sweater	11
Girl's Cardigan	11–12
Boy's Jumper	12–13
Jacket and Skirt	13–15
Wrapover Coat	15–16
Square Shawl	17
Kiddies Tank Tops	18–19
Child's Pants and Smock Top	19–20
Child's Dress	21–22
Fairisle Dress and Cardigan	22–24
Child's Three Piece Set	26–28
Three Piece Evening Set	28–30
Matching Jumper and Cardigan	31–32
Man's Windcheater	33–34
You Write	34–35

broadly speaking

We start the year with a completely new image. The patterns are now written in a step by step form which should make them easier to understand. By relating them to the diagrams you will be able to picture exactly what the piece you are knitting should look like. The instructions (in steps i.e. 1, 2, 3, etc.) beneath a title refer to the diagram with the same title. The steps in the instructions refer to the sections with the same numbers in the diagram, i.e. step 1 in the instructions refers to the part of the diagram indicated by 1.

You will see that a lot of the written instructions can be taken straight from the diagram. In fact apart from the hem instructions and the armhole and neck shapings, all the necessary information is in the diagram, i.e. number of stitches to cast on, rows to knit etc., for different sizes. If we find that everyone understands this well, we will try some patterns next issue with just the diagram and shaping instructions. This should enable us to get more patterns per issue. Please don't be frightened by the diagrams as they can in fact make life much simpler.

On page 3 you will find all the abbreviations and this can be cut out. If you stick this to a piece of card it can be moved to whichever pattern you are using and save you constantly referring to the beginning.

Some of the patterns have mitred neck bands. To do these one stitch should be decreased at the mitre end **every** row if you wish to knit it properly. However some diagrams are now cheating slightly, they are folding and sewing the material back to form a mitre, but this does leave a slightly more bulky section around the mitre.

We now need to know whether you understand our new system and look forward to hearing from you as soon as you have tried some of the super designs in this issue.

We are receiving a number of letters now from readers who wish to be put in touch with other readers and also ladies who are very keen to start up their own 'schools', i.e. they would like to go round teaching and meeting other people who have knitting machines. We would like to make a comprehensive list of all ladies interested in doing this. If you feel that you are competent enough to teach your machine and would like to meet other people, please let us know how much you would charge to visit someone's home and the model you have. Then in future if we have any requests from ladies who have bought their machines second-hand or want a little bit of advanced tuition, we will be able to send them your name and address.

N.B. CHARTS SUBMITTED BY DESIGNERS VARY DEPENDING ON WHICH MACHINE THE DESIGNER HAS USED. MOST PATTERNS USING EIGHT BUTTONS CAN BE DONE ON EITHER THE 588 OR THE 585. THE DIFFERENCES ARE

588	585
REVERSE LEVER+	REVERSE DIAL A
REVERSE LEVER–	REVERSE DIAL B

SUBSCRIPTION RATES FOR U.S.A. AND CANADIAN MEMBERS $6.00.
These rates include postage.

HINDSON PRINT GROUP LTD. Newcastle upon Tyne and London

fairisle cardigan

Materials
18 (20, 22, 24) 25 grms. balls of Hayfield Gaylon Double Knitting wools in main colour A. Allow 2 balls of each in colours B, C and D. 5 buttons.

Measurements
To fit bust sizes 34 (36, 38, 40) ins.
Finished measurements 36 (38, 40, 42) ins.
Length to shoulder 23 (23¼, 23½, 23¾) ins.
Sleeve seam 17½ ins.

Tension
T10. 12 sts. and 16½ rows to 2 ins. over st.st.

Abbreviations
K., knit; sts., stitches; inc., increase; dec., decrease; foll., following; alt., alternate; beg., beginning; rep., repeat; T., tension; 000., set counter to 000; M.B., main bed.

BACK

Ribbers Using A cast on 109 (115, 121, 127) sts. as 1 x 1 rib. T7/7. K. 14 rows. Transfer ribber sts. to M.B.

Single Machines Bring 109 (115, 121, 127) needles to B position and arrange needles for 2 x 1 mock rib. Using waste yarn cast on and K. a few rows. Change to A and T8. K. 27 rows. Make a hem and K. the row.

All machines * 000. T10. K. 6 rows. Using C as main and B as contrast, K. chart 1. K. 6 rows with A in st.st. Using B as main and D as contrast, K. chart 2. K. 6 rows. with A in st. st. Using D AS MAIN AND C as contrast, K. chart 3. Continue in A only. K. to 114 rows *. Adjust length here if required.

Shape Armholes
000. Cast off 5 (5, 6, 6) sts. at beg. of next 2 rows. Dec. 1 st. at each end of next 7 rows then every alt. row until 81 (85, 89, 93,) sts.

abbreviations

This list of abbreviations can be cut out and glued to a piece of thick card or board. It can then be moved to whichever part of a pattern you are working on to save you constantly referring to the beginning.

M.B.	Main Bed
st.st.	Stocking stitch
sts.	stitches
beg.	beginning
dec.	decrease
inc.	increase
alt.	alternate
trans.	transfer
opp.	opposite
carr.	carriage
S.D.	Side Dial
W. Wl.	waste wool
M. Wl.	main wool
M/c(s)	machine(s)
pos.	position
000	set counter at 000
foll.	following
T.	tension
K.	knit
M.D.E.	make double edge
Ns.	needles
COL(R)	carriage on left (right)
patt.	pattern
rem.	remaining
H.C.L.	holding cam levers
C.O.B.H.	cast on by hand
in(s).	inch(es)
oz(s).	ounce(s)
tub.	tubular
p.b.	part button
f.f.	fully fashioned

Although most of the patterns are adapted to both machines, occasionally a designer who does not know the conversion, writes patterns merely for either the model 800 or the earlier models. If this occurs, please check with the chart below to find the correct settings for your H.C.L's.

800 H.C.L. 3 = I for all others
800 H.C.L. 1 = II for all others
800 H.C.L. 2 = III for all others

The Jones HOME KNITTING POSTAL TUITION COURSE for 585, 588 & 800 machines

is so easy to follow and the complete answer to all shortcomings encountered in the tuition of knitting machines. There are twelve easy to follow lessons, leading you step by step from basic knitting right through to knitwear design. You will be able to learn to knit at your own pace with nobody looking over your shoulder or hurrying you on to the next step. You can take out the machine and pick up the course exactly when you feel like it and all in the comfort of your own home. Should you require help you can write and ask the experts who are always there. Later you may wish to refresh your memory on certain points and of course the lessons are always there for you to refer to.



£12·50

inc. £3·00 of wool

Postal Tuition courses for the

KNITLEADER & RIBBER

are also available at

£1·50 each

CHART 3

10	×	×			×	×		
9	×	×			×	×		
8		×	×			×	×	
7		×	×			×	×	
6			×	×			×	×
5			×	×			×	×
4		×	×			×	×	
3		×	×			×	×	
2	×	×			×	×		
1	×	×			×	×		

CHART 2

8	×						×	
7	×						×	
6	×	×				×	×	
5	×	×				×	×	
4		×	×		×	×		
3		×	×		×	×		
2				×				
1				×				

CHART 1

10				×				
9			×		×			
8		×	×		×	×		
7	×	×	×		×	×	×	
6				×				×
5				×				×
4	×	×	×		×	×	×	
3		×	×		×	×		
2			×		×			
1				×				
	1	2	3	4	5	6	7	8

K.H. 588 Machine
X = Contrast

remain. K. straight to 60 (62, 64, 66) rows.

Shape Shoulders

Cast off 7 sts. at beg. of next 6 rows and 4 (5, 6, 7) sts. at beg. of next 2 rows. Cast off.

RIGHT FRONT

Ribbers Using A cast on 51 (54, 57, 60) sts. as 1 x 1 rib. K. as given for Back rib.

Single machines Bring 51 (53, 57, 60) needles to B position and arrange needles for 2 x 1 mock rib. K. as given for Back rib.

All machines K. as given for Back from * to *. (K. 1 row extra for Left Front).

Shape Armhole and Front Neck

000. Dec. 1 st. at left (front edge) on next and every 4th row, **at the same time**, cast off 5 (5, 6, 6) sts. at beg. of next row. K. 1 row. Dec. 1 st. at armhole edge on next 7 rows, then every alt. row 2 (3, 3, 4) times. Keeping armhole edge straight, continue neck decs. until 30 (32, 30, 32) sts. remain, then every foll. 6th row until 25 (26, 27, 28) sts. remain. K. straight to 60 (62, 64, 66) rows.

Shape Shoulder

Cast off 7 sts. at beg. of next and alt. rows until 4 (5, 6, 7) sts. remain. K. 1 row. Cast off.

LEFT FRONT

K. as Right Front reversing shapings.

SLEEVES

Ribbers Using A cast on 53 (55, 57, 59) needles as 1 x 1 rib. K. as given for Back rib.

Single machines Bring 53 (55, 57, 59) needles to B position and arrange needles for 2 x 1 mock rib. K. as given for Back rib.

All machines 000. T10. K. 6 rows. K. charts in same order as Back, then continuing in A only, **at the same time**, inc. 1 st. at each end of 10th and every 8th (8th, 7th, 7th) row 13 (14, 15, 16) times in all. 79 (83, 87, 91) sts. K. straight to 128 rows. Adjust length here if required.

Shape Top

000. Cast off 5 (5, 6, 6) sts. at beg. of next 2 rows. Dec. 1 st. at each end of next 3 rows, then every alt. row 15 (15, 17, 17) times. Dec. 1 st. at each end of next 3 (5, 3, 5) rows. Cast off 3 sts. at beg. of next 4 rows. Cast off.

FRONT BAND

Mark position on Left Front for 5 buttons, the first 1 inch above lower edge and the last one at beg. of neck shaping. Space remainder evenly between.

Ribbers Using A cast on 11 sts. as 1 x 1 rib. T7/7. K. straight making buttonhole over centre st. to match markers. Continue straight until long enough to fit up both fronts and across back neck. Cast off.

Single machines Using A cast on 16 sts. by hand. T9. Mark buttonholes over needles 4 and 5 from each end to match markers. K. straight until long enough to fit up both fronts and across back neck. Cast off.

TO MAKE UP

Pin out and press with a warm iron over a damp cloth. Join side, shoulder and sleeve seams. Sew in sleeves. Sew ribbed front band in position. Sew st.st. band in position. Fold to wrong side and slip st. in place. Neaten buttonholes. Sew on buttons. Press seams.

ladies scarf, mittens & hat

CHART 3



CHART 2



CHART 1



K.H. 800 Machine X = Contrast

COMPLETE PATTERN SEQUENCE IS 1 TO 30 THEN 30 BACK TO 1



■ = MAIN COLOUR
× = LIGHT CONTRAST SHADE
• = MEDIUM CONTRAST SHADE

TR43

Materials
Hat 2 ozs. main colour, ½ oz. each 2 contrast colours Templetons H & O Shetland Fleece 4 ply or equivalent.
Scarf 5 ozs. main colour, 3 ozs. each of 2 contrast colours Templetons H & O Shetland Fleece 4 ply or equivalent.
Mittens 1 oz. main colour, ½ oz. each 2 contrast colours Templetons H & O Shetland Fleece 4 ply or equivalent.
Measurements
Hat To fit an average head size.
Mittens To fit an average hand size.
Scarf 7 ins. wide x 68 ins. long.
Tension
7 sts. x 10½ rows to 1 in. on T7 over Jacquard pattern.

HAT
1. Ribber M/cs. Cast on with M. Wl. 169 sts. as for 1 x 1 rib. T3/3. K. 4 rows tub. K. 60 rows rib. Trans. Ns. to M.B. C.O.R. 000.
Single bed M/c. With W. Wl., cast onto 85 sts. over alt. Ns. K. a few rows. With M. Wl. T5. K. 26 rows. T7. K. 1 row. T5. K. 26 rows. M.D.E. over 170 sts. Unravel W. Wl. C.O.R. 000.
2. Dec. 1 st. to 168 sts. T7. K. 5 rows plain. Set M/c. to jacq. K. 1 row. Start patt. from graph. On step 15 on graph change to M. Wl. (not medium contrast shade). K. to 32 rows. C.O.R. 000.
3. Push left 144 Ns. to E pos. leaving 24 Ns. on right edge in C pos. * Dec. 1 st. on each edge of these Ns. H.C.L's III (800 H.C.L's 2). K. 44 rows. Dec. 1 st. on each edge every 4 rows, 10 times. Finish patt. row 9. Row 44 cast off rem. 2 sts. and take off M/c. *. Return next 24 Ns. to C pos. and repeat from * to *. Continue to end of hat.
TO MAKE UP
Press hat. Join crown pieces together. Join back seam. (Working from wrong side join rib seam.) Press all seams.
Rib edge only Turn back rib to meet beg. of patt. St. to secure in place.



MITTENS
1. Ribber M/cs. Cast on with M. Wl. 59 sts. T3/3. K. 4 rows tub. K. 24 rows rib. Trans. Ns. to M.B. Thread up right 29 sts. and take off M/c. C.O.R. 000.
Single bed M/cs. With W. Wl. cast onto 29 sts. over alt. Ns. K. a few rows. With M. Wl. T5. K. 22. T7. K. 1 row. T5. K. 22. M.D.E. over 58 sts. Unravel W. Wl. Inc. 1 st. on each edge to 60 sts. Thread up right 30 sts. and take off M/c. C.O.R. 000.
2. T7. K. 7 rows. Set M/c. jacq. K. 1 row. C.O.R. Start jacq. from graph. K. to 68 rows. C.O.R. 000. Finish patt.
3. H.C.L's III (800 H.C.L's 2). Always taking yarn round inside N. in E pos. Push 1 N. to E pos. at opp. end to carr. on next 16 rows. H.C.L's II (800 H.C.L. 1). Return 1 N. to B pos. on next 16 rows. 32 rows in all. C.O.R. 000. Set Ns. to K. jacq.
4. Start jacq. from graph. K. to 60 rows. K. 8 rows plain. Cast off. Repeat mitten threading up left 29 sts.



THUMB
1. With M. Wl. C.O.B.H. 4 sts. Inc. 1 st. on each edge every row 12 times to 28 sts. 12 rows. C.O.R. 000.
2. Dec. 1 st. on each edge every 7 rows to 20 sts. K. to 28 rows. H.C.L's II (800 H.C.L. 1). Push left 10 sts. to E pos. Dec. 1 st. on each edge of sts. in B pos. and every foll. alt. row 2 times to 4 sts. cast off. H.C.L. I (800 H.C.L's 3). Repeat for left sts. Repeat thumb.
TO MAKE UP
Graft cast-off edge of mittens to thread up rib sts. Join outer seam of glove. Press all pieces. Join inner seam to 3½ ins. above rib. Set in thumb piece. Close rem. of seam to end of rib. Join thumb seam. Press all seams.

SCARF
C.O.B.H. in main col. 110 sts. T7. K. 7 rows. Set M/c. jacq. K. 1 row. C.O.R. Start patt. from graph * K. 60 rows patt. K. 60 rows plain *. Repeat this sequence 4 times more. Repeat 60 patt. rows. K. 8 rows plain, ending row 676. Cast off to end.
TO MAKE UP
Press scarf. Join side seams together. Press seam on wrong side. Turn inside out. Close ends of scarf by crocheting into both thicknesses of work. Make double row of crochet on 2nd row work 8 loops, on each end of scarf.
FRINGE
Using contrast col., cut yarn into 8 in. lengths. Using 8 strands knot into every loop along each end. Steam fringe. Trim to 4 ins.



a new Jones machine with

'SIX OF THE BEST'

features available on any knitter

Here's the very latest in machine knitting, the new Jones model 810, incorporating six of the best features to be found on any knitting machine available today. The 810 is a machine for the professional and amateur knitwear designer giving tremendous flexibility and a fantastic variety of pattern stitches.

So pamper yourself – treat yourself to the ultimate in machine knitting, the new Jones 810.

1. **Punch card operation with repeat button or continuous patterning.**
2. **24 stitch wide patterns—either in panels or across width of the knitting.**
3. **Button selection over 8 needles for small pattern repeats.**
4. **Automatic knit-weaving.**
5. **Lace carriage for knitting 2 together and making 1 automatically—the genuine way to make lace.**
6. **Twin feed—2 yarns fed simultaneously to knit fabulous fairisle automatically.**

✳This fabulous new machine will only be available through specialised knitting machine dealers, so if you've decided you deserve the very best knitting machine on the market today, we'll help you to treat yourself by letting you know the name and address of your nearest stockist. Just drop a line to :—

Divisional Sales Manager,
Knitting Machine Dept.,
Jones Sewing Machine Co. Ltd.,
Britannia House,
964 High Road,
Finchley,
London N12 8LE.

✳Most of these specialised dealers are only too willing to offer part exchange facilities, and, of course, have expert knowledge of Jones' machines.

babys sweater and bonnet

Materials
Sweater
3 (3) oz. Hayfield Beaulon 4 ply in M. Allow 1 oz. each in contrast A and B. 8 small buttons. Crochet hook.
Bonnet
1 (1) oz. of M oddments in A and B.
Measurements
To fit chest sizes 18 (20) ins.
Length to back neck 10 (11) ins.
Sleeve seam $5\frac{1}{2}$ ($6\frac{1}{2}$) ins.
Tension
T7. 15 sts. and 21 rows to 2 ins.
Abbreviations
K., knit; sts., stitches; inc., increase; dec., decrease; foll., following; beg., beginning; alt., alternate; tog., together; rem., remaining; T., tension; 000., set row counter to 000; H.C.L's., Stripes on body of sweater and bonnet are worked holding cam levers.
Notes
Stripes on body of sweater and bonnet, are worked as follows. K. 4 rows each in colours A, M.B.M. Follow this sequence throughout.
BACK
Bring forward 71 (77) needles to B position. Return centre and every foll. 3rd needle out to each side to A pos. With waste wool K. a few rows. Change to M wool. T5. K. 23 rows. Make hem filling empty needles *. 000. T7. Follow stripe pattern (see notes) K. 52 (60) rows.
Shape Raglan
000. Change to M. Cast off 2 sts. at beg. of next 2 rows **. Dec. 1 st. each end of next and every foll. alt. row until 25 (27) sts. rem. K. 1 row. Slip sts. onto a spare needle.
FRONT
K. as Back to **. Dec. 1 st. each end of next and every foll. alt. row until 30 (34) rows have been worked.
Shape Neck
Slip centre 13 (15) sts. onto a pin. Push 13 sts. at left to E pos. H.C.L's III. Continue raglan, dec. as before **at the same time** K. 1 row. Dec. 1 st. at neck edge of next and foll. alt. row 4 times. Keeping neck edge straight dec. at raglan edge only until 2 sts. rem. Cast off. H.C.L's I. K. left side to match reversing all shapings.
SLEEVES
Bring forward 41 (45) needles to B pos. K. as Back welt to *. 000. T7. K. 2 rows. Inc. 1 st. each end of next and foll. 8th row 6 times in all. 53 (57) sts. K. straight to 48 (58) rows. (Adjust length here if required.)
Shape Raglan
000. Cast off 2 sts. at beg. of next 2 rows. Dec 1 st. each end of next and foll 4th row 3 times in all, then on every foll. alt. rows until 11 sts. rem. K. 1 row. Slip sts. onto a pin.
BACK NECKBAND
With wrong side facing, pick up and place on machine 11 sts. from first sleeve, 25 (27) sts. from back neck, 11 sts. from second sleeve. 47 (49) sts. T7. K. 1 row. Trans. centre and every foll. 3rd st. to each side to adjacent needle, return empty needle to A pos. T5. K. 17 rows. Bring forward empty needles to B pos. T10. K. 1 row. Cast off chain method.



FRONT NECKBAND
With wrong side facing pick up and place on machine 11 sts. down front neck, 13 (15) sts. across front, 11 sts. up front neck. 35 (37) sts. K. as Back neckband.
MAKE UP
Pin out and press with a cool iron over a dry cloth. Join back raglan seams, side and under arm seams. Turn neckbands to inside and slip stitch in place. Using crochet hook work 3 rows of d.c. along front sleeve raglan edges. Work 2 rows along front raglan edges, making 4 loops on 2nd row. Sew on buttons. Press seams.
BONNET
Bring forward 89 (97) needles to B pos. K. as Back welt to *. 000. T7. Follow stripe pattern (see notes). K. 40 (48) rows.
Shape Back
Continue in M wool only. 000. Cast off 29 (32) sts. at beg. of next 2 rows. Work on rem 31 (33) sts. Dec. 1 st. each end of next and foll 6th row. 6 times. K. straight to 38 (40) rows. Cast off. Sew shaped edges to cast off sts. With wrong side facing, pick up and place on machine 77 (86) sts. from along bottom edge. T7. K. 1 row. Trans. every 3rd st. to adjacent needle. Return empty needles to A pos. T5. K. 15 rows. Cast off loosely making chain over empty needles. Turn hem to inside, slip st. in place. Make a twisted cord and thread through rib.

boys sport sweater

Materials
Jumper body 9 (10, 10, 11, 11) ozs. Bands 2 ozs. Sleeves 5 (6, 6, 7, 7) ozs. Listers or Lee Target Tricel/Nylon Double Crepe.
Measurements
To fit 26 (28, 30, 32, 34) ins. Chest.
Finished measurements 28 (30, 32, 34, 36) ins. Chest.
Under Arm 15½ (16, 16½, 17, 17½) ins.
Tension
7 st. x 10 rows to 1 in. Over st.st. on T8.

JUMPER FRONT

1. Ribbers Cast on 97 (105, 113, 121, 129) sts. as 1 x 1 rib. T3/3. K. 4 rows Tub., T5/4. K. 20 rows rib. Trans. Ns. to M.B. Dec. 1 st. to 96 (104, 112, 120, 128) sts.
1. Single bed machines With W. Wl. cast on 49 (53, 57, 61, 65) sts. over alt. Ns. K. a few rows. With M. Wl. T7. K. 20 rows, T9, K. 1 row. T7. K. 20 rows. M.D.E. over 98 (106, 114, 122, 130) sts. Dec. 1 st. on each edge. Remove W. Wl. C.O.R. 000.
2. T8. K. 86 (96, 106, 116, 126) rows.
3. Cast off 9 (10, 11, 12, 13) sts. at beg. next 2 rows to 78 (84, 90, 96, 102) sts. C.O.R. 000.
4. Dec. 1 st. on each edge, every 3rd row 6 times, then dec. 1 st. every 4th row 6 times, (12 sts. on each edge) to 54 (60, 66, 72, 78) sts. 42 rows. C.O.R. 000.
5. K. 8 (12, 16, 20, 24) to front neck. Cast off centre 18 (20, 22, 24, 26) sts. Push left Ns. to E pos., * H.C.L's II (800 H.C.L. 1) on right neck dec. 1 st. every alt. row 10 times. K. to 28 (34, 40, 46, 52) rows to shoulder.
6. On shoulder, cast off 4 (5, 6, 7, 8) sts. at beg. of next 2 rows. * H.C.L. I (800 H.C.L's 3). Repeat for left shoulder reversing shapings.

BACK NECK

K. as for front to step **5.**
5. 24 (30, 36, 42, 48) rows to back neck. Push left Ns. to E pos., * H.C.L's II (800 H.C.L. 1) on neck edge dec. 1 st. every row 7 times. K. to 28 (34, 40, 46, 52) rows.
6. As for front.
* H.C.L. I (800 H.C.L's 3) repeat for left shoulder reversing all shapings.

SLEEVE

1. Ribbers Cast on 53 (55, 57, 59, 61) sts. Make rib as for **1** front. C.O.R. 000.
Single bed machines Cast on 27 (28, 29, 30, 31) sts. as for **1** front and make rib. C.O.R. 000.
2. T8. Inc. 1 st. on each edge every 16 (13, 11, 10, 9) rows. 8 (10, 12, 14, 16) sts. on each edge. K. to 134 (140, 146, 152, 158) rows.
3. Cast off 5 (6, 7, 8, 9) sts. at beg. next two rows, to 58 (62, 66, 70, 74) sts. C.O.R. 000.
4. Dec. 1 st. on each edge every 4th row 7 (8, 9, 10, 11) times to 44 (46, 48, 50, 52) sts. K. to 28 (32, 36, 40, 44) rows. C.O.R. 000.
5. Dec. 1 st. on each edge every row, 13 times. K. to 14 rows and cast off remaining 18 (20, 22, 24, 26) sts.





TO MAKE UP

Press all pieces. Join Shoulders.

NECKBAND

Ribbers Cast on 107 (115, 123, 131, 139) sts. as 1 x 1 rib. T5/4. K. 14 rows. T7/6. K. 1 row. T5/4. K. 14 rows. With right side of work facing M/C. place back neck to 36 (38, 40, 42, 44) sts., side neck to 26 (28, 30, 32, 34) sts. and front neck to 18 (20, 22, 24, 26) sts. Cast off to this point. Place rest of neck to remainder of Ns. and cast off to end. Fold rib double and slip-st. inside.
Single bed machines With W. Wl. cast on 53 (57, 61, 65, 69) sts. over alt. Ns. T7. K. 14. T9. K. 1. T7. K. 14 M.D.E. Cast off neck as above.

ARMBANDS

Ribber Cast on 111 (119, 127, 135, 143) sts. as 1 x 1 rib. Make rib as for neckband. With right side of work facing M/C. hang work evenly onto Ns. and cast off. Fold rib double and slip-st. inside.
Single bed machines With W. Wl. cast on 55 (59, 63, 67, 71) sts. over alt. Ns. and make rib as for neckband.

TO MAKE UP

Sew tops of sleeves onto armbands. Join side seams. Press all seams and bands.

childs check dress

Materials
8 (9, 10, 11) ozs. 4 ply main colour. 4 (4, 5, 5) ozs. 4 ply contrast. Plus odd ounce for waste knitting. 4 buttons.

Measurements
Chest 28 (30, 32, 34) ins.
Length to back neck 22 (25, 28, 32) ins.
Sleeve seam 3½ (4, 4½, 5) ins.

Tension
T9. 7 sts. and 10 rows to 1 in.

BACK
Bring 121 (129, 135, 143) needles into working position and using main colour. T6. Work 15 rows in plain knitting. Work next row loosely for fold. 000. Work next 16 rows in pattern as follows: For Model 800 make the pattern 6 x 6, i.e. 6 sts., instead of 4 x 6, i.e. 4 sts. Make a hem. T7. Continue in pattern. Dec. 1 st. at both ends of next and every foll. 12th (14th, 16th, 18th) row until 114 (144, 162, 186) rows worked. Pattern ends here, continue in main colour only (beginning with carriage at right). Continue dec. until 99 (107, 113, 121) sts. rem. K. straight until 166 (190, 216, 240) rows have been worked. This will give a finished length to armhole of 16½ (19, 21½, 24) ins. **.

FRONT
K. as back to **.

Shape Armholes
Cast off 4 (5, 5, 5) sts. at beg. of next 2 rows. Dec. 1 st. at both ends of next 3 (3, 5, 5) rows then every alt. row until 75 (81, 85, 91) sts. rem. K. straight to 56 (60, 66, 70) rows.

Shape Shoulders
Cast off 5 (5, 6, 6) sts. at beg. of next 6 rows and 7 (9, 7, 9) sts. of next 2 rows. 31 (33, 35, 37) sts. T5. Continue in pattern. Work 12 rows. Work next row loosely for fold. Work 12 rows plain (for hem). Cast off loosely.

Divide for Neck and Shape Armholes
000. Place centre 13 sts. onto a st. holder. Push needles at left to holding position. H.C.L's on III (800 H.C.L. 1). Work on right set of sts. first. Cast off 4 (5, 5, 5) sts. at beg. of next row. K. 1 row. Dec. 1 st. at armhole edge on next 3 (3, 5, 5) rows then every alt. row 5 (5, 4, 5) times. 31 (34, 36, 39) sts. rem. K. straight to 39 (41, 45, 47) rows.

Shape Neck
Cast off 4 (5, 6, 7) sts. at beg. of next row. Dec. 1 st. at neck edge on next and every foll. alt. row 3 times in all, then foll. 4th row twice. 22 (24, 25, 27) sts. rem. K. straight to 56 (60, 66, 70) rows.

Shape Shoulder
Cast off 5 (5, 6, 6) sts. at beg. of next and alt. rows until 7 (9, 7, 9) sts. rem. K. 1 row. Cast off loosely. H.C.L's I (800 H.C.L's 3). Rejoin wool at centre and K. to match right side.

SLEEVES
Bring forward 60 (62, 66, 68) needles. Using main colour. T6. Work 11 rows in plain knitting. Work next row loosely for fold. 000. Work 12 rows in pattern. Make a hem. Continue in main colour. Work 2 rows in plain knitting. Inc. 1 st. at both ends of next and every alt. row 6 (7, 8, 9) times in all. 72 (76, 82, 86) sts.

Shape Top
Cast off 4 (5, 5, 5) sts. at beg. of next 2 rows. Dec. 1 st. at both ends of next 5 rows then every foll. 4th row 3 (4, 4, 4) times. K. 1 row. Dec. 1 st. at both ends of next and every foll. alt. row 3 (3, 4, 5) times in all. K. 1 row. Cast off 2 sts. at beg. of next 6 (6, 8, 10) rows and 3 sts. on next 4 rows. Cast off rem. 18 sts. loosely.

FRONT BAND
No. 11 needles and main yarn. Cast on 13 sts. and K. 1, P. 1 rib until band fits front edge. Pick up sts. from st. holder and K. to match other band spacing 3 buttonholes evenly. St. bands to garment.

NECKBAND
With wrong side of work facing pick up and place on machine 33 (37, 39, 43) sts. along one front neck. T5. Pattern 12 rows. K. next row loosely for fold. K. 12 rows in plain knitting. Cast off loosely. Make sure pattern will match back neckband already knitted. Work other side to match.
N.B. Make last buttonhole on this band and in backing.

TO MAKE UP
Pin out and press carefully with warm iron over damp cloth. Join side, shoulder and sleeve seams. Sew in sleeves. Sew hems, bands, buttonholes and sew buttons into place. Press seams.



mohair sweater

Materials
14 (15, 16) ozs. Lister or Lee Target—Mohair with wool and nylon. 4 (5, 6) ozs. Lister or Lee Target—double crepe.
Measurements
To fit 32 (34, 36) ins. chest.
Finished measurements 34 (36, 38) ins. chest.
Length from shoulder to hem 25 (25½, 26) ins.
Tension
6 sts. x 8 rows to 1 in. on T10.
N.B. (Your feeder on – (minus), i.e. **loosest tension**).
Abbreviations
D.K., double knitting yarn; sl.st., slip stitch; M.H., Mohair yarn.
Note
The cast on comb must be hung and after every row pulled down firmly to make knitting easy.

FRONT
1. Cast on 120 (126, 132) sts.
2. Dec. 1 st. on each edge every 14 rows, 9 times. (102, 108, 114) sts., K. to 132 rows.
3. Thread up 29 (30, 31) sts. on each edge and take off M/C., leaving 44 (48, 52) sts.
4. 60 (64, 68) rows to front neck. Cast off 16 (20, 24) sts. centre front neck. H.C.L's II (800 H.C.L. 1) push left sts. to E pos. On neck edge dec. 1 st. every row 14 times. K. to 74 (78, 82) rows. H.C.L. I (800 H.C.L's 3) repeat for left neck reversing shapings. Place right 29 (30, 31) thread up sts. back onto M/C. On left edge dec. 1 st. at 000 then dec. 1 st. every alt. row 8 times, then every row 8 times to 12 (13, 14) sts. K. 1 row to 25 rows, repeat for left sts. reversing mitre decs. * Stripe sequence 8 rows D.K., 8 rows M.H., 9 rows D.K. *.

BACK
As for front until **4**.
4. K. 74 (78, 82) rows to back neck. Cast off 44 (48, 52) back neck sts.

SLEEVES
1. C.O.B.H. 96 (102, 108) sts. D.K. T8, K. 10, T10, K. 1. T8, K. 10. M.D.E., T10, K. 1. C.O.R. 000. M.H. T10.
2. K. 84 rows straight. C.O.R. 000.
3. Inc. 1 st. on each edge at 000 * then inc. 1 st. on each edge every alt. row 8 times, then every row 8 times to 130 (136, 142) sts. * Stripe sequence as for front. * K. 1 row to 24 rows. With waste wool make mark on 6th st. to left and right of centre. Cast off. Repeat sleeve.

TO MAKE UP
Press all pieces. Sew sleeves joining mitres and bodice up to waste wool marks. Join side and under arms. Turn up and sl.st. 1 in. hem on dress.
NECKBAND
With D.K. C.O.B.H. 108 (116, 124) sts. T8, K. 10 rows. T10, K. 1 row. T8, K. 10 rows. M.D.E. With right side of garment facing M/C. place left sleeve to 12 sts., side neck to 13 sts., front neck to 16 (20, 24) sts. Cast off up to this point. Place side neck to 13 Ns., sleeve to 12 sts. and back neck to remainder 42 (46, 50) sts. Cast off to end. Close band seam.

TR33





POCKETS
With Mohair C.O.B.H. 35 sts. * T10, K. 9 rows. D.K. K. 8 rows M.H. * repeat once more * to * D.K. T8, K. 10 rows. T10, K. 1 row. T8, K. 10 rows. M.D.E. and cast off. Repeat. Press pockets. St.st. pockets 2¼ ins. approx. to left and right of centre front and level with bottom of hem. Press all seams, pockets and neckband.
MOTIFS
Cut out a paper shape(s), i.e. diamonds, pin onto front of bodice. With contrast thread, make tack sts. around shape(s). Swiss darn sts. within the shape with D.K. yarn. Press motif. With wire brush fluff up mohair all over garment.

girls cardigan

Materials
10 (12, 12, 13) ozs. Double Knitting wool. 1 (2, 2, 3) ozs. Double Knitting wool in contrasting colour. Plus odd ounce for waste knitting. Pair of No. 11 knitting needles. 8 (9, 9, 10) buttons.
Measurements
Chest 28 (30, 32, 34) ins.
Sleeve seam 11½ (13, 14½, 16) ins.
Length to back neck 17 (18½, 20, 21½) ins.
Tension
T10. 6 sts. and 8½ rows to 1 in.
BACK
Using No. 11 needles cast on 82 (88, 94, 100) sts. and work 15 rows in K. 1, P. 1 rib. ** Then place each st. onto a needle and work the pattern chart for a border. Work these 12 rows. Then work approx. 10 rows in waste wool. Remove work from machine and reverse. Putting each loop of main work onto a needle. 000. Carriage at left, work 7 rows plain. **. Inc. rows. Inc. 1 st. at each end of next and foll. alt. rows until 90 (96, 102, 108) sts. in all. Continue in st.st. until R.C. reads 63 (73, 81, 89) rows.
Raglan Shaping
Cast off 4 (5, 5, 6) sts. at beg. of next 2 rows. Dec. 1 st. f.f. at each end of next and every alt. row until 32 (32, 34, 34) sts. rem. Work 1 row. Cast off.
RIGHT FRONT
Using No. 11 needles cast on 39 (42, 45, 48) sts. in all. Work 15 rows in K. 1, P. 1 rib. Work from ** to ** as at back. Inc. rows. Inc. 1 st. at each end of next and foll. alt. rows until 43 (46, 49, 52) sts. in all. Continue in st.st. until work measures the same as back to start of raglan shaping ending at armhole edge.
Raglan Shaping
Cast off 4 (5, 5, 6) sts. at beg. of next row. Dec. 1 st. f.f. at armhole edge on next and every foll. alt. row until 21 (21, 23, 23) sts. rem. ending at neck edge. Cast off 5 sts. at beg. of next row (all sizes). Keeping raglan correct dec. 1 st. at neck edge on every alt. row until 2 sts. rem. Cast off.
LEFT FRONT
Work to match right side reversing all shapings.
SLEEVES
Using No. 11 needles cast on 42 (44, 46, 48) sts. and work in K. 1, P. 1 rib for 15 rows. Work from ** to ** as back. Inc. rows. Inc. 1 st. at each end of next and foll. alt. rows until 52 (54, 56, 58) sts. in all. Now inc. 1 st. at each end of the next and every foll. 9th (8th, 8th, 8th) row until there are 66 (72, 78, 84) sts. Continue on these sts. until R.C. reads 68 (85, 97, 110) rows. Cast off 4 (5, 5, 6) sts. at beg. of next 2 rows. Dec. 1 st. f.f. at each end of next and every alt. row until 10 (10, 10, 12) sts. rem. Work 1 row. Cast off.
TO MAKE UP
Press each piece with a damp cloth and warm iron on wrong side. Using a fine back-st. seam join side and sleeve seams and st. sleeves in position.
LEFT FRONT BAND
Using No. 11 needles cast on 11 sts. and work in K. 1, P. 1 rib until band fits up left

boys jumper

front to start of neck shaping, slightly stretched. Place sts. on spare needle. St. band in position.

RIGHT FRONT BAND

Using No. 11 needles cast on 11 sts. and work in K. 1, P. 1 rib for two rows. Mark centre 3 sts. with coloured thread for buttonhole. Continue in rib marking 6 (7, 7, 8) more buttonholes, evenly spaced. The last buttonhole approx. $1\frac{1}{4}$ ins. down from start of neck shaping. Continue in rib until band measures same as left front band. Place sts. onto a spare needle. St. band in position.

NECKBAND

With right side of work facing commence with right front band (11 sts.) picking up sts. round the neck finishing with 11 sts. from left front band. 105 (105, 111, 111) sts. Work in rib for 3 rows. Work last buttonhole then rib for 2 rows. K. 2 tog. at beg. and end of next row. Cast off loosely in rib.

TO MAKE UP

Press seams and sew on buttons.



Materials

10 (11, 12, 14) ozs. Double Knitting. 7 (8, 9, 10) ozs. Double Knitting. Plus odd ounce for waste knitting.

Measurements

Chest 28 (30, 32, 34) ins.
Length to Back Neck 19 ($20\frac{1}{2}$, 22, $23\frac{1}{2}$) ins.
Sleeve seam 13 ($14\frac{1}{2}$, 16, $17\frac{1}{2}$) ins.

Tension

T10. 6 sts. and 9 rows to 1 in.

BACK

Using waste yarn and main tension. Bring 98 (104, 110, 116) needles into working position. Now push back every third needle for 2 x 1 rib. Work a few rows in waste yarn. Change to main yarn and two sizes tighter tension. Work 40 rows for double welt. Working centre two rows loosely for fold. Make a hem by placing the first loops in main yarn onto the empty needles. Dec. 1 st. 97 (103, 109, 115) sts. in all. Change to main tension and proceed in pattern as follows: Working 9 rows plain at T8 in yarn 'b' between each pattern sequence. Continue in pattern until 86 (94, 104, 112). Continuing in pattern shape armholes.

Shape Raglan

Cast off 3 sts. at beg. of next 2 rows. Dec. 1 st. f.f. at beg. of every row until 33 (35, 37, 39) sts. remain. Cast off.

FRONT

Work as given for back until 59 (61, 63, 65) sts. remain when shaping the raglan.

Divide for Neck

Cast off centre 13 (15, 17, 19) sts. Work on first set of 23 sts. as follows (H.C.L. buttons on III (800 H.C.L's 2) and push needles not being used into D position) Dec. 1 st. f.f. at raglan edge and dec. 1 st. at neck edge on next and every alt. row until 7 sts. remain. Dec. 1 st. f.f. at raglan edge only on alt. rows until 2 sts. remain. Cast off. Join yarn to inner edge of rem. sts. releasing H.C.L. buttons. Push needles back into working position. Work as for first side.

SLEEVES (alike)

Set main tension and using waste yarn bring 54 (58, 62, 66) needles into working position. Push back every third needle for 2 x 1 rib and work as for back to completion of hem, 53 (57, 61, 65) sts. Change to main tension and proceed in pattern as for back. Keeping in pattern—inc. 1 st. each end of 3rd and every foll. 8th row until there are 73 (79, 85, 91) sts. Work straight until R.C. reads 100 (112, 126, 140) rows.

Shape Raglan

Work as given for back raglan until 9 (11, 13, 15) sts. remain. Cast off.

NECKBAND

(Join right side seam and raglans, also sleeve seams and left raglan). Leave left side open. Pick up 112 (120, 128, 136) sts. evenly round neck. Work 1 row. Using lace carriage bring every 3rd needle forward, run lace carriage over and push back all the empty needles—2 x 1 rib edging. Change to two sizes tighter tension and work 20 rows. Working the centre two rows loosely for fold. Bring all needles back into working position and work 1 row. Cast off loosely. (Stitch down to neck to make double welt.)

jacket and skirt

Materials

Jacket 20 (21, 22) ozs. Robin Vogue 4 ply. 5 (6, 7) ozs. Colour A Robin Vogue Double Knitting. 4 (5, 6) ozs. Colour B Robin Vogue Double Knitting. 5 x 1¼ ins. approx. buttons. 3 large press studs.

Skirt 9 (10, 11) ozs. Robin Vogue 4 ply. 3 (4, 5) ozs. each colour Robin Vogue Double Knitting. 1 in. wide elastic to desired length. 10 ins. long zip.

Measurements

To fit 34 (36, 38) ins. chest.
Skirt 24 (26, 28) ins. waist.
Length from waist 22 (22½, 23) ins.

Tension

6½ sts. x 9½ rows to 1 in. on T8 over weave patt.



TO MAKE UP

Press work on wrong side with warm iron over damp cloth. St. left side seam and neck seam. Hem st. neckband down.



BACK

1. C.O.B.H. 138 (144, 150) Ns. in 4 ply. T6. K. 18 rows. H.C.L's II (800 H.C.L. 1). Push left 32 Ns. to E pos. Start patt. from graph. K. 1 row (always taking yarn round inside N.) on next 8 rows push right 32 Ns. to E pos. K. 1 row. C.O.R. Using trans. tool return 8 Ns. back to B pos. on next 8 rows. C.O.R. 000.

2. Dec. 1 st. on each edge every 13 rows. 10 times to 118 (124, 130) sts. K. to 134 rows.

3. Cast off 10 sts. at beg. next 2 rows to 98 (104, 110) sts. C.O.R. 000.

4. H.C.L's II (800 H.C.L. 1). Push 2 Ns. to E pos. at opp. end to carr. on every row 16 (14, 12) times. Then push 1 N. to E pos. every row 6 (10, 12) times. 22 (24, 26) rows. Leaving 60 (66, 72) Ns. in B pos. Break off yarns. H.C.L. 1 (800 H.C.L's 3). C.O.R. K. 1 row. Cast off.

PIPED EDGING—BACK

C.O.B.H. 118 (124, 130) sts. in 4 ply. T5. K. 7. T7. K. 1. T5. K. 7. M.D.E. With weave side of work facing M/c. place under arm to first 10 Ns., side back to 19 Ns., back to 98 (104, 110) Ns. Place rest of work to rest of Ns. and cast off to end.

RIGHT FRONT
1. C.O.B.H. 75 (79, 83) Ns. in 4 ply. 1 N. to right of centre, rest of Ns. to left of centre. Cont. as for **1** back, shaping on left hand Ns. C.O.R. 000.
2. Dec. as for 2 back to row 80.
BUTTONHOLES
* H.C.L's II (800 H.C.L. 1). Push left 64 (68, 72) Ns. to E pos. leaving 5 Ns. on right edge in B pos. K. 13 rows over these Ns. Break off yarns. Push these 5 Ns. to E pos., return left Ns. to B pos. K. 13 rows. C.O.L. Return 5 Ns. to B pos. K. 1 row. *. C.O.R. 094. (**Note** remember decs. on left edge whilst working left $\frac{1}{2}$ of buttonhole). K. 14 rows and work 2nd buttonhole.
3. As for back to 55 (59, 63) sts. C.O.R. 000.
4. As for back. Work 3rd buttonhole, starting 000. Work shaping on left hand Ns. only. Cast off. Repeat for left front, omitting buttonholes and reversing all shapings.
PIPED EDGINGS—RIGHT FRONT
C.O.B.H. 65 (69, 73) sts. in 4 ply. T5. K. 7. T7. K. 1. T5. K. 7. M.D.E. With weave side of work facing M/c. place under arm st. to 1st 10 Ns., side sts. to next 19 Ns. and remaining sts. to last 36 (40, 44) Ns. and cast off. Repeat for left front.



SLEEVE
C.O.B.H. 104 (108, 112) sts. in W. Wl. K. a few rows.
1. H.C.L's II (800 H.C.L. 1). Push left 20 Ns. to E pos. Start weave patt. from graph. With 4 ply. K. 1 row. Push 20 Ns. to E pos. at right edge. K. 1 row. Return 5 Ns. to B pos. on next 8 rows. C.O.R. 000.
2. K. 152 (156, 160) rows straight.
3. Cast off 10 sts. at beg. next 2 rows to 84 (88, 92) sts. C.O.R. 000.
4. On left edge inc. 1 st. every 12 rows, 3 times at the same time, on right edge, inc. 1 st. row 18. K. to 36 (38, 40) rows. 88 (92, 96) sts. C.O.R. 000.
5. Inc. 1 st. on each edge at 000. Then inc. 1 st. every alt. row 19 (18, 17) times, then, for the last 2 sizes, inc. 1 st. every 3rd row 0 (1, 2) times. **At the same time** Row 20, thread up sts. to left of centre and take off M/c. **. Dec. 1 st. on inside edge on same rows as increases, to 36 (42, 48) rows. Then dec. 1 st. on inside edge very alt. row 20 times. At the same time K. 1 row. C.O.L. 37 (43, 49) rows. H.C.L's II (800 H.C.L. 1). Push 2 Ns. to E pos. at opp. end to carr. on every alt. row 14 (15, 16) times, then push 1 N. to E pos. every alt. row 6 times. K. to 42 (44, 46) rows. Cast off remaining sts. and take off M/c. ** ***. Place thread up sts. back onto M/c. to left of centre. Row 20. C.O.R. On inside edge dec. 1 st. on same rows as increases to row 40 (46, 52). On left edge push 2 Ns. to E pos. every alt. row 12 times. At the same time row 44 (50, 56) on inside edge. Cast off 22 (24, 26) sts. Then dec. 1 st. every alt. row 11 times. K. to 68 (74, 80) rows, cast off remaining sts. and take off M/c. ***. Repeat for right sleeve, reversing shapings at **5** ** to ** (A) and *** to *** (B). Press back, fronts and sleeves. Join sleeve tops together at A. Join



A sides of sleeves to bodice back from under arm to under arm. Join B sides of sleeves to bodice front from under arm to centre front. Close darts on both sleeves. Press all seams.

TR41

FRONT BANDS
In 4 ply yarn, cast on 127 (129, 131) sts. T5. K. 7. Inc. 1 st. every alt. row on right edge, 3 times. T7. K. 1 row. T5. K. 7. Dec. 1 st. every alt. row on right edge, 3 times. M.D.E. Place right front, with weave side facing M/c., evenly onto Ns. Turn back hem and place onto Ns. Cast off. Repeat band, increasing and dec. on left edge. Cast off in same way.
COLLAR
In 4 ply yarn, cast on 94 (102, 110) sts. T5. K. 52. Inc. 1 st. on each edge every alt. row. T7. K. 1 row. T5. K. 52. Dec. 1 st. on each edge every alt. row. M.D.E. With weave side of work facing M/c., place cast off sts. on sleeve to 22 (24, 26) Ns. Place $\frac{1}{2}$ back neck to 25 (27, 29) Ns. Cast off up to this point. Place remainder of neck to 25 (27, 29) Ns. and cast off sts. on sleeve to rest of Ns. Cast off to end.
FRONT NECK BAND
In 4 ply yarn cast on 20 (22, 24) Ns. Make band as for front band. Place left front neck onto Ns. and cast off. Repeat for right front band, reversing mitre.
SLEEVE CUFFS
In 4 ply yarn cast on 49 (53, 57) sts. T5. K. 29. T7. K. 1 row. T5. K. 29 rows. M.D.E. Gather sleeve onto sts. by doubling up sts. on some Ns. Cast off. Repeat. Join side and sleeve seams. Turn back hem and slip-st. in place. Join mitres on front bands. Join front neck band to collar. Finish off edges of collar and buttonholes. Press all seams, bands and collar. Sew on 3 buttons to correspond with holes. Sew 2 more buttons, evenly spaced onto front 'sleeve' bodice. Sew on 3 large press studs onto bodice top, along centre edge, on wrong side.

wrapover coat



SKIRT

1. C.O.B.H. 150 (154, 158) sts. T6 in 4 ply yarn, K. 18 rows. Start weave patt. from graph. T8. H.C.L's II (800 H.C.L. 1). Push 36 Ns. to E at opp. end to carr. on next 2 rows. Using trans. tool, return 9 sts. to B on next 8 rows. C.O.R. 000.

2. Dec. 1 st. on each edge every 8 (9, 10) rows, 16 (15, 14) times to 118 (124, 130) sts. K. to 134 (138, 142) rows. C.O.R. 000.

3. Dec. 1 st. on each edge at 000 and then every 5th row 13 times. Row 34. C.O.R. *. Push left 67 (71, 75) Ns. to E pos. H.C.L's III (800 H.C.L's 2). Continue dec. on outside edge, at the same time, on dart edge dec. 1 st. every 9th row, 3 times. K. to 66 rows. 22 (24, 26) sts. Cast off. *. Replace middle 42 (44, 46) Ns. onto centre of M/c. C.O.R. 034. Dec. 1 st. on each edge 3 times. K. to 66 rows. 36 (38, 40) sts. Cast off. Replace last 25 (27, 29) sts. C.O.R. 034. Repeat from * reversing shapings. Repeat skirt panel. Press both pieces. Join darts, and side seams. Leave 9 ins. opening for zip on one seam. Turn back hem and st. into place. Press all seams, darts and hem.

WAISTBAND

In 4 ply yarn cast on 156 (164, 180) sts. T6. K. 1 row. T8. K. 14 rows pattern from graph. T8. K. 1 row plain. T8. K. 14 rows pattern from graph. With weave side of skirt facing M/c., place onto Ns. and cast off to end. Fold band onto inside and slip-st. in place. Insert 1 in. elastic to desired length into waistband and secure at each end. Crochet down zip opening. Insert zip. Press.



Materials

15 (16, 17) ozs. Robin Vogue 4 ply. 15 (16, 17) ozs. Robin Vogue Double Knitting.

Measurements

To fit 34 (36, 38) ins. bust.

Finished measurements 36 (38, 40) ins. bust. Length from neck to hem 26½ (26¾, 27) ins.

Tension

6 sts. x 9 rows to 1 in. on T8 over weave.







BACK

1. C.O.B.H. 131 (137, 143) Ns. with 4 ply yarn. T6. K. 18 rows. C.O.R. 000.

2. Set M/c. for weave. T8. Dec. 1 st. on each edge every 9 rows, 12 times, to 107 (113, 119) sts. K. to 108 rows. C.O.R. 000.

3. 54 rows straight. C.O.R. 000. Mark edge sts. with W. Wl.

4. Inc. 1 st. on each edge every 9 rows, 9 times to 125 (131, 137) sts. K. to 82 (84, 86) rows. C.O.R. 000.

5. Cast off 9 sts. at beg. next 8 rows. Then cast off 6 (8, 10) sts. at beg. next 2 rows. Thread up remaining 41 (43, 45) sts.

FRONT

1. C.O.B.H. 59 (62, 65) Ns. with 4 ply yarn. T6. K. 18 rows. C.O.R. 000.

2. As for back to row 50. Working 10 (13, 16) Ns. in from right front cast off next 33 sts. (leaving 14 (17, 20) Ns. on left). With spare Wl. cast onto empty Ns. and hang on comb. Continue to 108 rows. C.O.R. 000.

3. As for back to row 44. Mark right front edge sts. with W. Wl. Dec. this st. then dec. 1 st. on this edge every 7th row 13 (14, 15) times. Continue **3**, **4** and **5** as for back. Repeat for left front reversing all shapings.

POCKETS

Rib Cast on 35 Ns. with K.K. yarn, as for 3 x 3 rib. T8/8. K. 22 rows. Trans. Ns. to M.B. With weave side of work facing M/c. place **cast off** edge onto Ns. 1 N. in from each edge and cast off to end. Repeat.

LININGS

C.O.B.H. 42 Ns. with 4 ply yarn. T6. K. 44 rows. With plain side of work facing M/c., place **cast on** edge onto Ns. and cast off to end. Repeat.



SLEEVE

1. Cast on 95 (99, 103) Ns. with D.K. yarn, as for 3 x 3 rib. T8/8. K. 38 rows. Trans. Ns. to M.B. C.O.R. 000.

2. Set M/c. for weave T8. K. 36 rows.

3. Inc. 1 st. on each edge every 18 rows, 6 times to 107 (111, 115) sts. K. to 112 rows and cast off. Repeat sleeve.

TO MAKE UP

Press all pieces. Join back and fronts at shoulders. Turn back hem and st. into place.

COLLAR AND FRONT BAND

Cast on 184 (186, 188) Ns. with D.K. yarn as for 3 x 3 rib. T8/8. K. 24 rows. Set H.C.L's II (800 H.C.L. 1). Push 98 Ns. at opp. end to carr. to E pos. on both K. and R. beds. K. 1 row. Place yarn around inside raised N. on every alt. row. K. 1 row. C.O.R. Push 2 Ns. to E pos. at opp. end of carr. on every alt. row 16 times. C.O.R. Row 54. H.C.L. I (800 H.C.L's 3). K. 1 row. Trans. all Ns. to M.B. With weave side of work facing M/c. place right front to first 98 Ns. (up to marked st.). Place front neck to next 64 (65, 66) Ns. Place back neck to 21 (22, 23). Leaving 1 st. extra. Cast off to end. Repeat collar and band as above reversing all shapings. Close back seam. Finish off band edges. Join sleeves to armholes (up to marked sts.). Close side and sleeve seams. St. down pocket ribs. On front inside st. down pocket linings along sides and across hem. Press all seams, hem and collar and sleeve ribs. Fold back cuffs and st. to secure. Fold back collar and press into place.

BELT

Cast on 15 sts. as 1 x 1 rib in D.K. yarn. T8. K. to 52 (54, 56) ins. and cast off.

square shawl

Materials
4 ozs. approx. of white Acrylic yarn, obtainable by post from Bonnies Wools, 10 Park View Road, Northfield, Birmingham B31 5AU.

Measurement
33 ins.

Tension
T2. 9 sts. and 13 rows to 1 in.

Abbreviations
St., stitch; cont., continue; dec., decrease; inc., increase; beg., beginning; R.C., row counter; foll., following; trans., transferring; st.st., stocking stitch; K., knit.

BORDER
Cast on 109 sts. T3, K. 10 rows, inc. 1 st. at beg. of every row. T4, K. 1 row. Make a row of holes by trans. every other st. to adjacent needle. K. 1 row. Now dec. 1 st. at the beg. of every row, K. 10 rows. Make hem by hanging up cast on sts. K. 1 row. Still cont. to dec. 1 st. at beg. of every row, K. 9 rows st.st. then work through chart A, then K. another 9 rows st.st. (156 sts.) Without further dec., K. 1 row; make a row of holes as before. K. 4 more rows. Put work on waste or a holder. K. another piece just the same. Now K. a third piece, but this time, do not put on waste but cont. for main part. Set R.C. to 000 and K. 288 rows from chart B. When this is done, K. 3 rows st.st., make a row of holes as before. K. 1 row. Then inc. 1 st. at the beg. of every row, work as foll. K. 10 rows st.st., then insert chart A **but this time** round the other way (so that what was step one is up at the other end of the 'steps') and work through as before (still inc.) K. 10 more rows st.st. Now put a marker in at each end of the row. K. 10 rows. Make a row of holes as before. K. 1 row. T3, and dec. 1 st. at beg. of every row, K. 10 rows. Form a hem by picking up the loops of the row with the markers in at both ends and hang the loops onto the knitted sts. and cast off the two sets of sts. tog. If preferred, the sts. can be cast off and the hem sewn down.

SIDE BORDERS
With wrong side of border towards machine, re-hang sts. onto needles. With right side of main part of shawl towards machine, pick up and hang evenly onto these border sts. the straight edge of shawl. Now cast these two sets of sts. off tog. Do the other border in the same way.

TO MAKE UP
Join mitred corners neatly. Pin out, wrong side uppermost, to size evenly, and press lightly with a warm iron over a slightly damp cloth. Allow to dry completely before removing pins.





kiddies tank tops

This garment was designed by Mrs C. Field after completing the Jones Postal Tuition Course

Materials
Main Colour 2 (2, 3, 3) x 40 grms. balls Sirdar Wash'n Wear Double Knitting. Contrast 1 (1, 1, 1) x 40 grms. balls Sirdar Wash'n Wear Double Knitting. Crochet Hook Size 3.00.

Measurements
To fit chest 21 (23, 25, 27) ins.
Length to shoulder 11 (12, 13, 14) ins.

Tension
6½ sts. 9 rows to 1 in. Suggested T10.

BACK

Ribbers Cast on 75 (82, 89, 96) sts. for 1 x 1 rib. T $\frac{RB1}{FB1}$ with C. Hang comb and weights. Press right part button and put left cam lever on P.R. (to make selvedge edge). K. 3 rows. Press plain button. Left cam lever onto N. Join in M.C. T $\frac{RB7}{FB6}$ K. 26 (28, 28, 30) rows rib with C. K. 2 rows. Transfer sts. to R.B.

Single machines Push 75 (82, 89, 96) Ns. into B pos. Push every other N. back to A pos. Hang comb. K. a few rows with W.Y. Join in C. K. 2 rows. With M.Y. K. 28 (30, 30, 32) rows M.C. K. 4 rows C. K. 28 (30, 30, 32) rows M.C. and 2 rows C. Make double edge.

All machines R.C. 000. T10. K. to 31 (35, 40, 45) rows. R.C. 000.

Shape Armhole
Cast off 4 sts. beg. next 2 rows. Cast off 3 sts. beg. foll. 2 rows. Dec. 1 st. both ends next 4 rows. K. 1 row. Dec. 1 st. both ends next and foll. alt. rows to 47 (52, 52, 62) sts. Work straight to 20 (22, 24, 26) rows.

Shape Neck
Slip centre 15 (16, 17, 18) sts. onto holder. Push 16 (18, 22, 24) sts. at far side from carriage into E pos. H.C.L's III. Dec. 1 st. at neck edge on next 3 (4, 5, 5) rows. K. 1 row. Dec. 1 st. at neck edge on next and foll. alt. rows to 9 (10, 11, 12) sts. Work straight to 38 (42, 46, 50) rows. Carriage at armhole edge.

Shape Shoulder
Cast off 5 (5, 5, 6) sts. at beg. of next row. K. 1 row. Cast off. H.C.L.'s I. Complete other side of neck to match.

FRONT
Work as back to armhole. R.C. 000.

Shape Armhole
Cast off 4 sts. beg. next 2 rows. Cast off 3 sts. beg. foll. 2 rows. Dec. 1 st. both ends next 4 rows. K. 1 row. Dec. 1 st. both ends of next and foll. alt. rows to 51 (56, 61, 66) sts. K. 1 row.

Shape Neck
H.C.L's to III. Slip centre 15 (16, 17, 18) sts. onto holder. Push 17 (19, 21, 23) sts. at far side from carriage into E pos. Dec. 1 st. at armhole edge on next and foll. alt. rows. At the same time dec. 1 st. at neck edge on next and 3 (4, 5, 5) foll. rows. Dec. 1 st. at neck edge of next and foll. alt. rows to 9 (10, 11, 12) sts. Work straight to 38 (42, 46, 50) rows.

Shape Shoulder
Carriage at armhole edge. Cast off 5 (5, 5, 6) sts. at beg. of next row. K. 1 row. Cast off. H.C.L. I. Complete remaining side to match.

FRONT NECKBAND
Ribber T $\frac{RB1}{FB1}$ Cast on 69 (78, 85, 94) sts.





childs pants and smock top

1 x 1 rib with contrast. Press right part button. Left cam button on P.R. K. 3 rows. With M.C. T $\frac{4RB}{3FB}$ Press plain button. Right cam button on N. K. 5 rows. Transfer sts. to R.B. * with W.S. of front facing. Pick up 27 (31, 34, 38) sts. from left side of neck 15 (16, 17, 18) sts. from holder and 27 (31, 34, 38) sts. from right side of neck and put onto needles. Cast off two pieces together.

Single beds Push 69 (78, 85, 94) Ns. into B pos. Pick up 27 (31, 34, 38) sts. from left side of neck 15 (16, 17, 18) sts. from holder and 27 (31, 34, 38) sts. from right side of neck. W.S. facing hang sts. onto Ns. * T4 with M.C. K. 1 row. Transfer 2nd and every alt. st. to its adj. N. Empty Ns. to A pos. K. 5 rows with C. K. 4 rows with M.C. K. 5 rows. Cast off loosely.

BACK NECKBAND

Ribbers Cast on 57 (62, 67, 72) sts. 1 x 1 rib and work as front band to *. With W.S. of back facing pick up 21 (23, 25, 27) sts. from left side of neck 15 (16, 17, 18) sts. from holder and 21 (23, 25, 27) sts. from right side of neck. Put onto Ns. and cast off 2 pieces together.

Single beds Push 57 (62, 67, 72) sts. into B pos. With W.S. of back facing. Pick up 21 (23, 25, 27) sts. from left side of neck 15 (16, 17, 18) sts. from holder and 21 (23, 25, 27) sts. from right side of neck. Put onto Ns. and work as right front band from *.

SLEEVE BANDS

Ribbers Join shoulder seams. Cast on 80 (88, 96, 104) sts. for 1 x 1 rib and work as front band to *. Pick up 40 (44, 48, 52) sts. from both sides of armhole and put onto Ns. Cast off 2 pieces together.

Single beds Join shoulder seams. Push 80 (88, 96, 104) Ns. into B pos. Pick up 40 (44, 48, 52) sts. evenly from both sides of armhole. Place on Ns. and work as right front band from *.

TO COMPLETE

Single beds Fold all facings onto W.S. and st. into position.

All machines Join side seams. Neaten loose ends.



OE13

Materials

Templeton's Ayrstar 4 ply (25 grms. balls). White 7 (7, 8) balls. Black 1 (1, 1) ball. Firebird (red) 11 (11, 12) balls. 4 ins. white zip. Elastic for waist. No. 10 crochet hook.

Measurements (actual)

Chest 21½ (23½, 25½) ins.
Sleeve seam 9 (11, 12½) ins.
Back length from neck to hem of smock 18 (20, 22) ins.
Pants inside leg 12 (13, 16) ins.

Tension

T9. 6 sts. 10 rows to 1 in.

Abbreviations

St., stitch; inc., increase; dec., decrease; beg., beginning; foll., following; C.O.R., carriage on right or left; H.C.L., holding cam lever; rep., repeat; alt., alternate; rem., remain(ing).

PANTS

Right Leg

With red yarn, cast on 90 (96, 102) sts. T7, K. 7 rows. T10, K. 1 row for foldline. T8, K. 8 rows. Make hem. T9, K. 80 (90, 100) rows then inc. 1 st. at both ends of next and foll. two '10th' rows 96 (102, 108) sts. and work until 12 (13, 16) ins. from hem (adjust length here). Cast off 3 sts. at beg. of next 2 rows, then dec. 1 st. at beg. of next 4 rows. Dec. 1 st. at both ends of every foll. 6th row to 76 (80, 84) sts. Work without further shaping till work measures 8 (8½, 9) ins. from cast off sts., ending with C.O.R.

(work 1 row extra for left side). Put all but last 38 sts. at right hand end of machine into position E and H.C.L's on 2, K. the row, bring yarn up round 1st needle in E and K. back. * Push up another 10 sts. into position E beside the sts. just knitted, K. the row, bring wool up between 1st two needles in E and K. back *. Rep. from * to * twice more. H.C.L's on 3 and K. all across. Transfer every other st. onto adjacent needles, T7 and K. 16 rows. Cast off loosely. Work second side to match reversing shapings.

SMOCK TOP

SKIRT BACK

With red yarn, cast on 104 (110, 116) sts. T8, K. 13 rows, with black, K. 3 rows. T10, K. 1 row for foldline, T8, K. 4 rows. T9 and using red as background and black as contrast, work through chart A once. Using black only, K. 3 rows. Make hem, break off red and black yarn and using white only, continue in st.st., dec. 1 st. at both ends of every 20th row 4 times altogether. K. without further shaping until work measures 11 (12, 13) ins. from hem. Put on waste.

SKIRT FRONT

With red yarn, cast on 122 (128, 134) sts. and work as given for skirt back. Put on waste.

BODICE BACK (Left Side)

With white yarn cast on 36 (39, 42) sts. T9. Work in st.st. for $2\frac{1}{2}$ (3, $3\frac{1}{2}$) ins., ending with C.O.R. Cast off 3 (3, 4) sts. at beg. of next row and dec. 1 st. at this same edge on next 2 (3, 3) rows then the foll. 2 (2, 2) alt. rows. Work without further shaping until armhole is 4 ($4\frac{1}{2}$, 5) ins., finishing with C.O.R. Cast off 4 (4, 5) sts. at beg. of next and foll. 2 alt. rows. K. 1 row. Cast off rem. sts. Work right side to match reversing shapings by reading left for right.

BODICE FRONT

With white yarn, cast on 68 (76, 84) sts. and K. until work measures $2\frac{1}{2}$ (3, $3\frac{1}{2}$) ins. Cast off 3 (3, 4) sts. at beg. of next 2 rows. Dec. 1 st. at both ends of next 2 (3, 3) rows, then both ends of foll. 1 (2, 2) alt. rows. Work straight until armhole measures 3 ($3\frac{1}{4}$, $3\frac{3}{4}$) ins. With spare yarn cast off centre 6 (6, 8) sts. Leave left set of sts. in position E. H.C.L. on 2 and work on right set of sts. as follows. Dec. at neck edge 1 st. on next 5 (6, 4) rows, then every alt. row at neck edge 2 (2, 3) times. To shape shoulder, with C.O.R., cast off at armhole edge of next and foll. 3 alt. rows, 4 (4, 5) sts. K. 1 row, cast off rem. sts. Work other side of neck to match, reading left for right.

SLEEVES

Begin at lower edge with white and cast on 58 (64, 72) sts. T9 and work straight for $7\frac{1}{2}$ ($9\frac{1}{2}$, 11) ins.

Shape Top

Cast off 2 sts. at beg. of next 2 rows. Dec. 1 st. at both ends of next 2 rows, then both ends of foll. 2 alt. rows. Dec. 1 st. at both ends of every 3rd row to 22 (28, 30) sts. Cast off 3 sts. at beg. of next 6 rows. K. 1 row. Cast off rem. sts.

SLEEVEBANDS

Pick up 38 (44, 48) sts. evenly along bottom edge of sleeve and hang onto machine with right side towards machine. T8 with black K. 3 rows, then using red as background and black as contrast, T9 and work through chart B once. K. 2 rows black, T10 and K. 1 row for foldline T8, K. 3 more rows black, 10 rows red, 2 rows black. Make hem and cast off together, or cast off loosely and sew down to form hem.

Bodice Trimming

With black yarn, cast on 120 (126, 130) sts. T9, K. 2 rows black then using red as background and black as contrast, work through chart B once. K. 2 more rows black and cast off loosely.

TO MAKE UP

Pick up sts. along bodice front and re-hang onto machine with **wrong** side of work towards machine. Re-hang sts. from skirt front onto the same needles, spreading the extra sts. evenly across. Cast off both sets of sts. together. Join lower back seam of bodice back leaving $4\frac{1}{2}$ ins. open at upper end for zip. Pick up sts. along lower edge of bodice back and re-hang onto machine in the same way as the front, hanging up the skirt back onto same needles and spreading the extra sts. evenly along, cast off these sets of sts. together. Join shoulder, side and sleeve seams. Put a marker in the centre of trimming and pin to centre of front, the outer edge of trimming to come just onto the skirt and bodice seam. Place each end $\frac{1}{2}$ in. in from neck on shoulder seam. Pin trimming $2\frac{1}{8}$ ins. from centre at either side (see photograph) mitre the corners and slope trim gradually and evenly up to shoulder position. Back stitch trimming neatly into place. Work 1 row of double crotchet round neck and back opening. Sew in zip. Set in sleeves, gathering top in to fit armhole. Join pants body seams, then leg seams. Sew down waistband neatly, leaving a gap to thread elastic through.



CHART B



CHART A

K.H. 800 MACHINE

STEPS

STEPS

K.H. 588 MACHINE

childs dress

Materials
2 (3, 3) ozs. Col. A. Robin Tricell Nylon Perle, 4 ply. 1 oz. Col. B. Robin Tricel Nylon Perle, 4 ply. 1 (2, 2) ozs. Col. C. Robin Tricel Nylon Perle, 4 ply. 3 small buttons.

Measurements
To fit 18 (20, 22) ins. chest.
Finished measurements 19 (21, 23) ins. chest.

Tension
7½ sts. and 11½ rows to 1 in. T6 over st.st.

Abbreviations
St(s)., stitch(es); T., tension; K., knit; C.O.L.(R)., carriage on left (right), 000., set row counter to 000; fin., finishing; inc., increase; dec., decrease; rep., repeat; foll., following; pos., position; M.D.E., Made double edge; beg., beginning; alt., alternate; carr., carriage.





SLEEVE HEM JAQUARD **SLEEVE HEM JAQUARD**



□ = COLOUR A

× = COLOUR B

ROW 1 START JAQUARD ON ROWS 16 & 84(96,108)
ROW 3&4 THESE 2 ROWS ARE AT UNDERARM
ROW 5 CHANGE BACKGROUND COLOUR TO COLOUR C ON 2nd REPEAT



Correction to above – 'Thread up and TAKE off 24(28-32) sts.'

1A. Hem In Col. A C.O.B.H. 104 (112, 120) sts. T4. K. 8 rows. T7. K. 1 row. T4. K. 8 rows. M.D.E. T6. K. 1 row. C.O.R. 000.

1B. Always taking yarn round first inside needle in E pos. H.C.L's II. Push 36 (40, 44) sts. at opp. end to carriage to E pos. on next 2 rows. Push 9 (10, 11) inside needles at opp. end to carr. to D pos. on next 8 rows. H.C.L's to I. C.O.R. 000.

2. 86 (98, 110) rows. Dec. 1 st. each end of every 5 (5, 6) rows, 17 times to 70 (78, 86) sts. Start jacquard Col. B row 16. Start jacquard row 84 (96, 108).

3. 000. Cast off 3 sts. at beg. of next 2 rows to 64 (72, 80) sts. C.O.R. 000.

4. Back opening 16 rows. Dec. 1 st. each end of every alt. row in Col. C 8 times to 48 (56, 64) sts. C.O.R. 000.

5. 24 (30, 36) rows straight to shoulder.

6. For shoulder Cast off 4 sts. at beg. of every row 4 times then cast off 2 (4, 6) sts. Threading up 14 (16, 18) back neck sts.

fairisle dress and cardigan



HEM
Col. A. C.O.B.H. 52 (60, 68) sts. **As for dress** T5. K. 8 rows. T7. K. 1 row for foldline. T5. K. 3 rows to jacquard see graph. T5. K. 5 rows of jacquard. M.D.E. Col. B. T6. K. 1 row C.O.R. See dress. H.C.L's to II. Col. C. Push 16 (20, 24) needles at opp. end to carr. to E pos. on next 2 rows. Push 2 inside needles at opp. end to carr. to D pos. on next 16 (20, 24) rows. K. 2 rows. C.O.R. Cast off 52 (60, 68) sts.



5A. 12 (16, 20) rows to front neck. Thread up and take off centre 16 (20, 24) sts. 000.
5B. 12 (14, 16) rows. Dec. 1 st. at beg. of every alt. row on neck 6 times to 10 (12, 14) sts. 000. K. to 12 (14, 16) rows.
6. Shoulder as for back.

NECKBAND
Col. C. C.O.B.H. 66 (76, 86) sts. T4. K. 6 inc. 1 st. at beg. of every row. T7. K. 1 row for foldline. T4. K. 6. Dec. 1 st. at beg. of every row. M.D.E. Press back and front, join shoulder seams. With right side of work facing machine and working from left edge of needles, place left half back neck to first 13 (15, 17) needles front side neck to next 12 (13, 14) needles and front neck to 16 (20, 24) needles, cast off band and neck edge together to this point, place remainder of neck to rest of needles and cast off to end.
Back Opening 18 (24, 30) sts. Col. C. (K. 2.) T4. K. 6. Mitre as for neckband on right edge. T7. K. 1. Mitre as for neckband on right edge. T4. K. 6. Mitre as for neckband on right edge. (Repeat mitre on left for second band.) Hang back opening with right side of work facing machine, evenly over needles and cast off. Rouleau: Cast on in Col. C over 2 needles. One part button in on carr. T1. K. until rouleau measures 5 ins. approx. Cast off.

TO MAKE UP
Press sleeves and sew into armholes. Join side seams. Finish off mitres and back opening. Press seams and neckbands. Sew 3 buttons on right edge of back opening, on left edge thread rouleua through and make three loops to correspond with buttons.

Materials

Dress 19 (20, 21) ozs. Col. A. Lee Target Motoravia 4 ply or Lister Lavenda 4 ply. 2 ozs. Col. B. Lee Target Motoravia 4 ply or Lister Lavenda 4 ply. 2 ozs. Col. C. Lee Target Motoravia 4 ply or Lister Lavenda 4 ply.

Jacket 8 (9, 10) ozs. Col. A. Lee Target Motoravia or Lister Lavenda in 4 ply. 3 ozs. Col. B. Lee Target Motoravia or Lister Lavenda in 4 ply. 3 ozs. Col. C. Lee Target Motoravia or Lister Lavenda in 4 ply. 6 buttons.

Measurements

To fit 32 (34, 36) ins. bust.

Tension

$7\frac{1}{2}$ sts. and 11 rows to 1 in. T6. over st.st. Jacquard in T7.



DRESS

1. Hem C.O.B.H. 172 (180, 188) sts. T5. K. 12. T7. Set M/C. for jacquard K. 1. T5. K. 12 rows. Jacquard. M.D.E. T6. K. 1 row. C.O.R. 000.

2. Dec. 1 st. each edge at beg. of every 10th (10th, 11th) row 19 times to 134 (142, 150) sts. K. to 190 (200, 210) rows. C.O.R. 000.

3. Dec. 1 st. at beg. of every 5th row. 15 times to 104 (112, 120) sts. K. to 76 (78, 80) rows. C.O.R. 000.

4. K. 34 rows straight.

5. Inc. 1 st. on each edge at 000, then inc. 1 st. each end every 5 (5, 6) rows to 126 (134, 142) sts. 50 (56, 62) rows. C.O.R. 000. Start jacquard.

6. and **7.** Dec. 1 st. each end every alt. row 25 (28, 31) times. At same time row 44 (50, 56) thread up centre 28 (30, 32) sts. Dec. 1 st. on front neck every row 15 times to end.

7B. Back Neck Cont. raglan shaping as for **6** to row 52 (58, 64). Thread up centre 44 (46, 48) sts. Dec. 1 st. on neck edge every row 7 times to end.



SLEEVES

1. C.O.B.H. 52 (56, 60) sts. Make hem as for **1** of dress.

2. Inc. 1 st. on each edge every 13th row 13 times to 78 (82, 86) sts. K. to row 176 (182, 188). C.O.R. 000.

3. Start jacquard from graph. Dec. 1 st. each edge. 000. Then dec. 1 st. every 3rd row 24 (25, 26) times to 28 (30, 32) sts. K. to 60 (66, 72) rows.

NECKBAND

Single bed machines C.O.B.H. 83 (87, 91) sts. on alt. needles T4. K. 26. T7. K. 1. T4. K. 26. M.D.E. Dec. 1 st. to 165 (173, 181) sts.

Ribbers On ribber T1/1. Cast on 1 x 1 rib over 165 (173, 181) sts. T3/3. 4 rows tubular. T4/4. K. 26 rows. Press back, front and sleeves, join raglans together with right side of work facing machine, place ½ back neck to first 22 (23, 24) sts., side back neck to next 6 sts., sleeve to 26 (28, 30) sts., side front neck to 14 needles and front neck to 28 (30, 32) needles. Cast off to this point. Place rest of neck to remainder of needles and cast off. Join side and sleeve seams and press all seams. Finish off neckband and press into curve.





BELT

C.O.B.H. 117 (125, 133) sts. Colour A. T5. K. 8. T7. K. 1. At same time dec. 1 st. every alt. row on left edge to row 9. C.O.L. 000. Set M/C. to jacquard ***. Dec. 1 st. every alt. row 4 times. First dec. at 000, last dec. at row 7. Inc. 1 st. row 9 and every foll. alt. row to 15 rows. T7. K. 1 row T5. K. 8 rows on these 9 rows. Dec. 1 st. every alt. row. Cast off. Press belt. Cut 1 end petersham into mitre. Join seam over petersham and close ends. Press seams and attach belt to buckle. *** T5. K. 1. T6. K. 13 rows pattern. T5. K. 1 row. This is the T. sequence for the next 15 rows.

CARDIGAN

BACK

1. Rib *. In Col. A cast on 135 (143, 151) sts. as 1 x 1 rib. T3/3. K. 4 rows tubular. T4/4. K. 12 rows. Trans. ribber sts. to main bed. *. Dec. 1 st. on left to 134 (142, 150).

Single bed machines Cast on 67 (71, 75) sts. on alt. needles T4. K. 12. T7. K. 1. T4. K. 12. M.D.E. T6. K. 1 row 134 (142, 150) sts. C.O.R. 000.

2. Dec. 1 st. on each edge every 34 rows, 4 times to 126 (134, 142) sts. Row 136. (**Jacquard** After hem K. 19 rows. Set machine to jacquard K. 1 row. C.O.R. 020 *. T7. K. 21 rows of jacquard C.O.L. 042. T6. K. 33 rows. St.st. *. Repeat jacquard stripes to end of garment).

3. Cast off 5 (6, 7) sts. at beg. of next 2 rows to 116 (122, 128) sts. C.O.R. 000.

4. Dec. 1 st. every 3rd row 11 times to 94 (100, 106) sts. K. 34 rows. C.O.R. 000.

5. 46 (48, 50) rows to shoulder.

6. Cast off 5 sts. at beg. next 8 rows, then cast off 4 (5, 6) sts. at beg. of next 4 rows. Thread up remaining 38 (40, 42) back neck sts.

RIGHT FRONT (reverse for left)

1. Hem as for back *. Cast on 67 (71, 75) sts.

Single bed machines Cast on 34 (36, 38) sts.

2. As for back to 63 (67, 71) sts.

3. As for back to 58 (61, 64) sts.

4. Same as back. At the same time work **4B.**

4B. On neck edge dec. 1 st. at 000, then dec. 1 st. every 5th row to 28 (30, 32) sts. at shoulder.

5. and **6.** As for back.

RIGHT FRONT EDGE

Ribbers Cast on 187 (189, 191) sts. as for back **1**. Rib K. 4 rows. **Buttonholes** With spare yarn and working from left to right K. off the 6th–10th sts. * Count 15 sts. and cast off next 5 sts. rep. from * 4 times more, leaving 77 (79, 81) sts. K. 5 rows. Work left band the same omitting buttonholes.

Single bed machines On alt. needles cast on 94 (95, 96) sts. T4. K. 4 rows. Make buttonholes as above. K. 5 rows. T7. K. 1 row. T4. K. 5. Make buttonholes. K. 4 rows. M.D.E. 188 (190, 192) sts. Press backs and fronts, join shoulders. Place half back neck to first 18 (19, 20) sts. and rest of front evenly to rest of needles. Cast off and repeat for other band.

POCKET

Cast on 39 sts. for rib as **1** of back.

Single bed machines Cast on 20 sts. on alt. needles. T4. K. 12. T7. K. 1. T4. K. 12. M.D.E. Dec. 1 st. to 39 sts. C.O.R. 000. K. 9 rows. Set machine to jacquard K. 1 row. C.O.R. 010. T7. K. 21 rows of jacquard. T6. K. 21 rows of st.st. Cast off.



SLEEVE

1. Cast on 95 (99, 103) sts. as for 1 x 1 rib as for back **1**. K. 42 rows. For **single bed machines** cast on 48 (50, 52) sts. on alt. needles. T4. K. 42. T7. K. 1. T4. K. 42. M.D.E. and dec. 1 st. to 95 (99, 103) sts. T6. K. 1 row. C.O.R. 000.

2. K. 1 row. Set machine to jacquard. K. 1 row. C.O.R. 002. T7. K. 21 rows of jacquard. T6. K. 17 rows. St.st. to 60 rows.

3. Cast off 5 (6, 7) sts. at beg. next 2 rows to 85 (87, 89) sts. C.O.R. 000.

4. Dec. 1 st. every 3rd row 14 times. Row 13 set machine to jacquard K. 1 row. T7. K. 21 rows jacquard to 035. T6. K. to 42 rows. 57 (59, 61) sts.

5. Dec. 1 st. each edge every row to 21 (23, 25) sts. (18 rows) K. 1 row. Cast off. Press sleeves. Sew tops into armholes. On inside of cuff join seam for 2½ ins. On outside of cuff join rest of rib and sleeve seam. Fold back cuff and secure on seam. Press pockets and st. into place. Join side seams and back neckband. Finish off buttonholes. Press all seams and edgings. Sew 6 buttons onto left band to correspond with buttonholes.

Plastic order of operations card. Price 15p.
Even though the machine parts are labelled in Japanese it does not detract the user from finding this order of operations card an extremely useful accessory for your 800 knitter. By using a water-based felt pen instructions can be filled in, used for the relevant pattern, and then wiped clean for future use. A must for every pattern lover.

Brother knit patterns. Price 35p.
An assortment of basic shapes for the ladies. Garments range from 32″ to 36″ bust sizes—suits, jumpers and dresses all for use in conjunction with the KNIT-LEADER.

Note: It is essential that you have a KNIT-LEADER to make full use of these paper knits.

SPECIAL PATTERN OFFERS



Jones paper knit patterns. Price 35p.
An assortment of basic shapes for kiddies to fit 24″ to 26″ chest sizes—suits, sweaters and dresses again for use with your KNITLEADER.

For any of the above items, please post your order to the following address with your cheque/postal order for the relevant amount. Please mark your envelope 'special offer'. (Prices are inclusive of postage.) 'Stitchin' Time, Special Pattern Offers, Jones Sewing Machine Co., Britannia House, 964 High Road, Finchley, London N12 8LE.

childs three piece set

This garment was designed by Mrs C. Field after completing the Jones Postal Tuition Course

For 800 HCL readings see main abbreviations

Materials

3 (3, 4) x 50 grms. balls Patons limelight 4 ply white. 5 (5, 6) x 50 grms. balls Patons limelight in navy. 10 (11, 12) ins. open end zip. 3 small buttons. 1¼ ins. buckle. Length of ¾ in. elastic to fit waist. Crochet hook. Knitting pins.

Measurements

To fit chest sizes 20 (22, 24) ins.
Jumper back length 11 (12, 13) ins. Adjustable.
Jumper sleeve seam 8 (9, 10) ins. Adjustable.
Waistcoat back length 14½ (16, 17½) ins. Adjustable.
Trousers waist sizes 20 (22, 24) ins.

Tension

7 sts. 10 rows to 1 in. Suggested T8.

Abbreviations

Carr., carriage; R., row; Rt., right; L., left; Wy., waste yarn; beg., beginning; alt., alternate; K., knit; M.T., main tension; st(s)., stitch(es); H.C.L.(s)., holding cam lever(s); dec., decrease; inc., increase; pos., position; foll., following; T., tension; W., white; N., navy; R.C., row counter; N(s)., needle(s); M.D.E., make double edge; 000., zero row counter; D.C., double crochet.

JUMPER

BACK

Push 78 (84, 92) Ns. into B pos. T5. Push every 3rd N. from L. into A pos. With Wy. cast on K. 5 rows. With Wy. K. 28 Rs. All Ns. to B pos. M.D.E. R.C. 000. K. straight to 52 (57, 62) Rs. R.C. 000. (adjust length here note Rs.).

Shape Armholes

Cast off 3 sts. beg. of next 2 Rs. and 2 sts. at beg. foll. 2 Rs. Dec. 1 st. both ends next 3 rows, K. 1 row. Dec. 1 st. both ends of next and foll. alt. Rs. to 60 (66, 72) sts **. Work straight to 4 (4½, 5) ins. 40 (45, 50) rows.

Shape Shoulder

Cast off 5 (6, 7) sts. beg. next 2 rows and 6 (6, 6) sts. at beg. of foll. 2 rows. Slip remaining 28 (30, 32) sts. onto holder.

FRONT

Work as back to ** then work straight to 28 (32, 38) rows. H.C.L's 3. Carr. R.

Shape Neck

Push 23 (25, 28) Ns. into E pos. at opposite side to carr. slip centre 14 (16, 16) sts. onto holder. Decreasing 1 st. at neck edge on next 7 (7, 8) Rs. continue to 40 (45, 50) Rs. Carr. R.

SHAPE

Cast off 5 (6, 7) sts. at beg. of next and foll. alt. row. K. 1 row.

SHOULDERS

Cast off. Remaining Ns. into B pos. and complete to match.

SLEEVES

T5 push 42 (44, 46) Ns. into B. pos. push every 3rd needle from L. into A pos. Cast on with Wy. and K. 5 Rs. Join in W. K. 28 Rs. M.D.E. R.C. 000. T8 work to 68 (78, 88) Rs. inc. 1 st. both ends every 4th (5th, 5th) Rs. to 52 (58, 64) sts.

Shape Top

Cast off 3 sts. beg. next 2 Rs. and 2 sts. beg. foll. 2 Rs. Dec. 1 st. both ends next 6 Rs. Work 10 (12, 12) Rs. straight. Cast off 2 sts. beg. of every R. to 10 sts. Cast off.

NECKBAND

Join right shoulder seam T8 push 80 (84, 86) Ns. into B pos. with wrong side facing put 28 (30, 32) sts. of back neck onto Ns. pick up 19 sts. from side of neck and place on Ns. put 14 (16, 16) sts. from front neck onto Ns. and 19 sts. from side of neck onto Ns. K. 1 row T6 from L. transfer every 3rd st. onto its adjacent Ns. Push empty Ns. into A pos. K. 20 (22, 24) Rs. Cast off working chain over empty Ns.

TO MAKE UP

Join side and sleeve seams. Catch armhole edge of shoulder opening. Run a thread through head of both sleeves. Adjust to fit armhole. St. in sleeves. Fold neckband onto wrong side and st. Work 2 Rs. D.C. along back shoulder opening. Work 2 Rs. D.C. along front shoulder opening making 3 button loops in 2nd row. Lap end of front shoulder opening over back and catch st. at sleeve end. Sew on buttons.

WAISTCOAT

BACK

Push 86 (92, 98) Ns. into B pos. T7 with Wy. cast on and K. 5 Rs. Join in navy K. 10 Rs. T10. K. 1 row. R.C. 000. T7. K. 10 Rs. M.D.E. work 20 rows straight. Dec. 1 st. both ends next and every foll. 6th row to 80 (86, 92) sts. Work straight to 95 (105, 115) Rs. (Adjust length here note Rs.).

Shape Armhole













R.C. 000. Cast off 5 sts. at beg. of next 2 Rs. and 2 sts. at beg. of foll. 2 Rs. Dec. 1 st. both ends next 3 Rs. K. 1 row. dec. 1 st. both ends next and foll. alt. Rs. to 52 (58, 64) sts. work straight to 45 (50, 55) Rs.

Shape Shoulder

Cast off 4 (4, 5) sts. at beg. next 4 rows. Cast off 4 (5, 4) sts. at beg. next 2 Rs. Cast off.

FRONT (right)

Push 43 (46, 49) Ns. into B pos. T7 cast on with Wy. K. 5 Rs. with navy K. 10 rows. T10. K. 1 row. T7. R.C. 000. K. 10 rows M.D.E. K. 20 Rs. Dec. 1 st. at right on next and every foll. 6th Rs. to 40 (43, 46) sts. Work straight to 95 (105, 115) Rs. (adjust length). R.C. 000.

Shape Neck and Armhole

Carr. right. Cast off 5 sts. at beg. of next row. Dec. 1 st. beg. foll. row. Cast off 2 sts. beg. of next row. K. 1 row. Dec. 1 st. beg. of next row and 1 st. both ends of foll. row. Dec. 1 st. beg. of next row K. 1 row. Dec. 1 st. beg. of next 3 rows K. 2 Rs. Dec. 1 st. at neck edge only on next and every foll. 4th row to 12 (13, 14) sts. remain K. to 45 (50, 55) Rs. Carr. right.

Cast off for Shoulder

Cast off 4 (4, 5) sts. at beg. of next and foll. alt. row. K. 1 row. Cast off.

FRONT (left)

Work as right front but read carr. left instead of right.

POCKET (right)

T8 push 30 (32, 34) sts. into E pos. with navy cast on by hand. K. 20 Rs. Dec. 1 st. at right on next and foll. 6th Rs. to 36 (38, 40) Rs. Carr. right. Cast off 10 (11, 11) sts. at beg. of next row K. 1 row. dec. 1 st. at right of next and foll. four rows. Dec. 1 st. at right on every foll. alt. row to 8 (9, 10) sts. Work straight to 144 (159, 174) Rs. Cast off.

POCKET (left)

As right but reverse shaping. Work a row of double crochet across pocket top and up strap. Work a row of double crochet down flat side of pocket. Pin side of pocket to left front at side edge, bottom edges level. St. lower edge of pocket to lower front edge. St. flat side of pocket to front to within ½ in. of waist. Leave 2½ ins. of strap free (for belt runner). Catch-st. inner corner of pocket opening to front, leave strap free and commence st. level with other side st. to shoulder. Complete right pocket to match.

ARMHOLE FACINGS

Wrong side facing. Join front and back at shoulders. T6.1 push 80 (88, 96) Ns. into B pos. pick up 80 (88, 86) loops. Evenly along Armhole and put on Ns. K. 6 Rs. T10. K. 1 row. T6.1. K. 6 rows. Cast off. Fold facing onto wrong side and st.

NECK FACINGS

Wrong side facing. T6.1 push 106 (118, 130) Ns. into B pos. pick up 40 (45, 50) loops from both front slopes and 28 (32, 36) sts. from back neck hang on Ns. K. 2 Rs. Dec. 1 st. both ends of next and 2 foll. alt. rows. K. 1 row. T10. K. 1 row. T6.1. K. 1 row inc. 1 st. both ends of next and 2 foll. alt. rows. K. 2 rows. Cast off.

BELT RIB

three piece evening set

T., back bed 5.2 front bed 4.2. Cast on 15 sts. for 1 x 1 rib. Arrange extra Ns. on front bed. (This is front of belt.) Work 29 (31, 33) ins. rib. Dec. 1 st. both ends of every row to 1 st. remains. Fasten off. Sew on buckle. Make crochet belt loop and st. to belt approx. 4 ins. from buckle. Work saddle stitching $\frac{1}{4}$ in. from edge.

BELT (stocking stitch)

Cast on 8 (9, 10) sts. by hand T8 work 29 (31, 33) ins. straight. Dec. 1 st. both ends of next and foll. alt. rows to 2 sts. Fasten off. Work a row of D.C. all around belt. Finish as rib belt.

TO MAKE UP

Join side seam. Make belt loops at waist in side seams st. zip into position. Fold neck facing onto wrong side st. Working under 1 st. and over 2 sts. and using white yarn work saddle stitching in centre of edge sts. (not crochet) of pocket extensions flat sides of pockets and across pocket tops. Work saddle st. on belt to match.

TROUSERS

LEFT BACK

T7. Push 56 (60, 64) Ns. into E pos. with navy. Cast on by hand K. 2 rows. Dec. 1 st. at right on next and three foll. alt. rows. Carr. L. T10. K. 1 row. T8 always taking yarn around inside needle in E pos. H.C.L's III push 5 needles at left into E pos. on next and foll. 4 alt. rows. At the same time inc. one st. at right on next and three foll. alt. rows 56 (60, 64) sts. R.C. 000. H.C.L. I. Work 6 (8, 10) rows straight. Carr. right. Cast off 4 (5, 6) sts. at beg. of next row K. 1 row. Cast off 2 sts. at beg. of next row K. 1 row. Dec. 1 st. at right on next and foll. alt. rows. until 38 (42, 46) sts. remain. Work to 75 (80, 85) rows. Carr. right. H.C.L's III. Shape back always taking yarn around inside needle in E pos. push 5 Ns. into E pos. on next and three foll. alt. rows at left side of work. H.C.L. I. T10. K. 1 row. T7. K. 10 rows. Cast off.

RIGHT BACK

As left but read carr. left for carr. right.

RIGHT FRONT

T7 push 52 (56, 60) Ns. into E pos. Cast on by hand K. 2 rows dec. 1 st. at right on next and 3 foll. alt. rows. T10. K. 1 row. H.C.L's 3.

RIGHT FRONT TROUSERS

Always taking yarn around inside needle in E pos. push 5 needles into E pos. at left on next and 3 foll. alt. rows. At the same time inc. 1 st. at right on next and 3 foll. alt. rows. H.C.L's R.C. 000. K. 6 (8, 10) rows. Carr. R. Cast off 4 (5, 6) sts. at beg. of next row. K. 1 row. Cast off 2 sts. at beg. of next and foll. alt. row. K. 1 row. Dec. 1 st. at right at beg. of next and 3 foll. alt. rows. Work straight to 75 (80, 85) rows. T10. K. 1 row. T7. K. 10 rows. Cast off.

LEFT FRONT

As right but read left for right and vice versa.

TO MAKE UP

Join centre back and front seams. Join side and crutch seams. Turn up hems on legs at hemline and st. Turn waist fold onto wrong side and st. leaving 1 in. open. Thread elastic through fold. Neaten opening.

TR36

Materials
Skirt 20 (22, 24, 26) ozs. Lee Target Leemont or Lister Lavenda 4 ply crisp crepe. 3 balls Twilleys gold fingering.
Jacket 9 (9, 10, 10) ozs. Lister Lavenda or Lee Target Leemont 4 ply crepe. 2 balls Twilleys gold fingering.
Top 2 (2, 3, 3) ozs. Lister or Lee Target 4 ply crepe. 3 (4, 4) balls Twilleys gold fingering. 8 ins. zip. 1 in. wide elastic.
Measurements
To fit 30 (32, 34, 36) ins. bust.
Hip 32 (34, 36, 38) ins.
Length of skirt from waist 43 (44, 45, 46) ins.
Tension
Over st.st. 7 sts. x 11½ rows to 1 in.
Over Jacquard 7½ sts. x 10½ rows to 1 in.
Note
For isolated jacquard: Set machine for jacquard—needles in D pos. Select jacquard from graph. Push forward to E pos. the needles to K. plain, leaving only the needles for isolated motif in D pos. Place lurex yarn over the first and last needles in E pos., either side of the motif. K. across and repeat for each row.

BACK
1. C.O.B.H. 120 (126, 132, 138) sts. in M. Wl. (2 extra on left of centre). Hem as for skirt.
2. Dec. 1 st. on each edge every 26 rows 4 times to 112 (118, 124, 130) sts. K. to 126 rows.
3. Cast off 4 (5, 6, 7) sts. at beg. next 2 rows to 104 (108, 112, 116) sts. C.O.R. 000.
4. Dec. 1 st. on each edge every 3rd row, 11 times to 82 (86, 90, 94) sts. K. to 34 rows. C.O.R. 000.
5. 44 (48, 52, 56) rows to shoulder.
6. Cast off 4 sts. at beg. every row 10 times, then cast off 1 (2, 3, 4) sts. at beg. next 2 rows. Thread up remaining 40 (42, 44, 46) back neck sts. and take off machine.



LEFT FRONT
1. C.O.B.H. 44 (48, 52, 56) sts. (4 sts. extra to left of centre). Make hem as for back.
2. Select steps 19–40 from graph over 3rd pattern—repeat from right. See Note. Cont. as for back to 40 (44, 48, 52) sts. row 104 dec. 1 st. on right edge and then every 34 (21, 15, 12) rows 3 (5, 6, 9) times to shoulder.
3. K. 1 row. Cast off 4 (5, 6, 7) sts. on left edge. K. 1 row. C.O.R. 000. **4, 5,** and **6** as for back.

RIGHT FRONT
C.O.B.H. 44 (48, 52, 56) sts. (2 sts. extra on right of machine).
1. Then as for back.
2. Select steps 19–40 from graph over 3rd pattern. Repeat from left. See Note. Continue as above, reversing all shapings. Press backs and front and join shoulders.



SLEEVE
1. C.O.B.H. 64 (66, 68, 70) sts. Make hem as for back.
2. Select steps 19–29 from graph and K. once. Inc. 1 st. on each edge every 11 rows 11 (12, 13, 14) times to 86 (90, 94, 98) sts. K. to 138 (144, 150, 156) rows.
3. Cast off 4 (5, 6, 7) sts. at beg. next 2 rows to 78 (80, 82, 84) sts.
4. Dec. 1 st. on each edge every 3rd row 16 (14, 8, 6) times. Then dec. 1 st. every 4th row 0 (4, 8,10) times to 46 (48, 50, 52) sts. 48 (52, 56, 58) rows. C.O.R. 000.
5. Cast off 3 sts. at beg. every row 6 times. Then cast off 2 sts. at beg. every row 6 times. Cast off remaining 16 (18, 20, 22) sts. Repeat sleeve.



Front Bands
Cast on in M. Wl. 135 (139, 143, 147) sts. T5, K. 12, T7, K. 1 and T5, K. 12, M.D.E. Working 1 st. in from edge place half back neck to 20 (21, 22, 23) sts. and rest front to remainder of needles. Cast off to end. Repeat. Close back neckband and finish off front band edges. Sew top of sleeves into armholes. Join side and sleeve seams. Press all seams and bands.



SKIRT
HEM
1. C.O.B.H. in M. Wl. 114 (122, 130, 138) sts. (2 st. more to left of centre) T5, K. 11, T7, K. 1, T5 with lurex yarn K. 2 rows. Set machine to Jacquard K. 1, T5, K. 7 rows then jacquard from graph M.D.E. C.O.R. 000. Set machine for jacquard. See Note.
2. Select steps 19–40 from graph over the centre 8 needles on each panel. Dec. 1 st. on each edge every 14th (14th, 13th, 13th) row 16 (12, 30, 18) times then dec. 1 st. every 13th (13th, 12th, 12th) rows 12 (18, 2, 16) times. To 58 (62, 66, 70) sts. K. to 390 (402, 414, 426) rows. C.O.R. 000.
3. Dec. 1 st. on each edge every 7th row 11 times to 36 (40, 44, 48) sts. K. to 81 rows. Thread up these sts. and take off machine. K. 3 more panels in same way. Press all pieces. Join all panels leaving 7 ins. opening on one seam.

WAISTBAND
C.O.B.H. in M. Wl. 138 (146, 170, 186) sts. T5, K. 16, T7, K. 1, T5, K. 16 rows M.D.E. Hang work evenly onto needles and cast off. Insert 1 in. wide by desired length elastic into waistband. St. into place at both ends of waistband. Crochet round opening and st. in zip. Press all seams and openings.

TOP FRONT

1. C.O.B.H. 94 (100, 106, 112) sts. in W. Wl. T5. K. 13. T7. K. 1. T5. With lurex yarn K. 4 rows. Set M/c. for jacq. K. 1 row. T5. K. 7 rows hem jacq. M.D.E. C.O.R. 000. Repeat steps 12–29, then 8–29.

2. K. 20 rows. C.O.R. 000.

3. Inc. 1 st. on each edge every 6th row 9 (10, 11, 12) times to 112 (120, 128, 136) sts. K. to 64 (64, 74, 74) rows.

4. Cast off 5 (6, 7, 8) sts. at beg. next 2 rows to 102 (108, 114, 120) sts.

5. On armhole edge dec. 1 st. on each edge every row 10 (12, 14, 16) times to 82 (84, 86, 88) sts.





Start neck here Cast off centre 18 (20, 22, 24) sts. Thread up and take off left sts. On right front neck dec. 1 st. every row 12 times. Then dec. 1 st. every 3rd row 6 times. **At the same time** on armhole dec. 1 st. every 3rd row 10 times to 30 rows. Cast off remaining sts. and take off M/c. Place left sts. back onto M/c. and repeat as above reversing shapings.



TOP BACK

As for front to row 54 (54, 64, 64). Cast off centre 52 (60, 68, 76) sts. Thread up and take off M/c. left sts. On right back edge cast off 6 sts. every alt. row to 64 (64, 74, 74) rows. Cast off remaining sts. and take off M/c. Place left sts. back onto M/c. and repeat reversing all shapings.

TO MAKE UP

Press both pieces and join side seams. Press seams.

BACK AND SIDE BAND

In lurex yarn C.O.B.H. 156 (168, 180, 192) sts. T5. K. 4 rows. Inc. 1 st. at beg. every row T7. K. 1. T5. K. 4 rows. Dec. 1 st. at beg. every row. M.D.E. With right side of work facing M/c. place front armhole edge to first 36 (38, 40, 42) Ns., back to 84 (92, 100, 108) Ns. and cast off up to this point, place remainder of armhole to rest of Ns. and cast off to end.

FRONT NECK BAND

C.O.B.H. 66 (68, 70, 72) Ns., make band as before. Place side neck to 24 Ns., front neck to 18 (20, 22, 24) Ns., cast off up to this point, place rest of neck to Ns. and cast off to end. Join mitred ends of band and press.

ROULEAUX

Cast on with lurex over 5 sts. Press one part button in on carriage. T2. K. two rouleaux to 17 ins. each, and two rouleaux to 13 ins. St. the short rouleaux onto each side of front neck and longer rouleaux onto back to correspond.

matching jumper and cardigan

Materials
Jacket Col. A 9 (9, 10) ozs. Lee Target Motoravia 4 ply. Col. B 3 ozs. each 4 ply crepe as above. Col. C 3 ozs. each as above or Lister Lavenda 4 ply wool. 6 buttons.
Vest
Col. A 1 oz. Col. B 3 ozs. Col. C 3 ozs.
Measurements
To fit 32 (34, 36) ins. bust.
Tension
$7\frac{1}{2}$ sts. x 12 rows to 1 in. on T6 Jacket.
$7\frac{1}{2}$ sts. x 11 rows to 1 in. on T6 Vest.
Abbreviations
M.D.E., Make double edge; st(s)., stitches; T., tension; C.O.L (R)., carriage on left (right); 000., set row counter to 000; inc., increase; dec., decrease; beg., beginning; trans., transfer; alt., alternate; patt., pattern; pos., position; M/cs., machines; Ns., Needles.

BACK
1. Rib In Col. A cast on 135 (143, 151) sts. as 1 x 1 rib. T3/3. K. 4 rows tubular. T4/4. K. 12 rows. Trans. ribber sts. to M.B.
Single machines Cast on 67 (71, 75) sts. on alt. needles. T4. K. 12. T7. K. 1. T4. K. 12. M.D.E. T6. K. 1 row, inc. 1 st. on left edge only. 135 (143, 151) sts. C.O.R. 000.
2. Start patt. 000. Dec. 1 st. on each edge every 36th row 4 times to 126 (134, 142) sts. K. to 180 rows. C.O.R. 000.
3. Cast off 5 (6, 7) sts. beg. on next 2 rows to 116 (122, 128) sts. C.O.R. 000.
4. Dec. 1 st. on each edge every 3rd row, 11 times to 94 (100, 106) sts. K. to row 34. C.O.R. 000.
5. K. 54 (56, 58) rows to shoulder.
6. Cast off 5 sts. at beg. of next 8 rows then cast off 4 (5, 6) sts. at beg. of next 4 rows. Thread up remaining 38 (40, 42) back neck sts.

RIGHT FRONT (reverse for left)
1. Hem as for back. **Ribbers** cast on 67 (71, 75) sts. **Single bed machines** cast on 34 (36, 38) sts.
2. As for back 63 (67, 71) sts.
3. As for back 58 (61, 64) sts.
4. Same as back, at the same time work **4B**.
4B. On neck edge dec. 1 st. at 000, then dec. 1 st. every 5th row to 28 (30, 32) shoulder sts.
5. As for back.
6. As for back.

POCKET
Cast on 39 sts. Rib as for **1** of back.
Single machines Cast on 20 sts. on alt. needles T4. K. 12. T7. K. 1. T4. K. 12. M.D.E. 40 sts. Dec. 1 st. to 39 sts. K. 65 rows of pattern and cast off.



RIGHT FRONT EDGE
Rib Cast on 163 (165, 167) sts. as for back **1** rib. K. 4 rows.
Buttonhole with spare yarn and working from left to right K. leaving needles in B pos. the 7th to 11th sts. * Count 8 sts. and K. off next 4 sts. Repeat from * 4 times leaving 93 (95, 97) sts. K. 5 rows. Work left band the same omitting buttonholes.
Single machines On alt. needles cast on 82 (83, 84) sts. T4. K. 4 rows. Make button holes as for rib. K. 5 rows T7. K. 1. T4. K. 5. Make buttonholes K. 4 rows. M.D.E. 164 (166, 168) sts.
2. Press backs and fronts, join shoulders. Place half back neck to first 18 (19, 20) sts. and place rest of front evenly to rest of needles. Cast off and repeat for other band.



SLEEVE
1. Rib Col. A cast on 59 (61, 67) sts. as for back **1** K. 36 rows. **Single machines** Cast on 30 (31, 34) sts. on alt. needles. T4. K. 36 rows. T7. K. 1. T4. K. 36 rows. M.D.E. 60 (62, 68) sts. dec. 1 st. T6. K. 1 row.
2. Inc. 1 st. on each edge every 9th row 17 (18, 19) times. K. to 174 (180, 186) rows. C.O.R. 000.
3. Cast off 5 (6, 7) sts. at beg. of next 2 rows to 83 (85, 87) sts. C.O.R. 000.
4. Dec. 1 st. each end of every 3rd row 10 (12, 13) times, then dec. 1 st. each end of every 2nd row 2 (1, 0) times to 57 (59, 61) sts. K. to 36 (38, 40) rows.
5. Dec. 1 st. each end of every row 18 times to 21 (23, 25) sts. K. 1 row and cast off.

TO MAKE UP
Press sleeves, sew tops into armholes. Join side and sleeve seams. Finish off button-holes and back of band. Sew on pockets. Press all seams, bands and pockets. Sew buttons to correspond with holes.





1. Rib In Col. A cast on 121 (129, 137) sts. as for 1 x 1 rib. T3/3. K. 4 rows. Tubular T4/4. K. 6 rows * Col. B. K. 4 rows, Col. A. K. 8 rows. Repeat from * to 66 rows. Trans. ribber sts. onto M/c.

For single machines Cast on 61 (65, 69) sts. on alt. needles. T4. K. 66. T7. K. 1. T4. K. 66. M.D. 122 (130, 138) sts. Dec. 1 st. T6. K. 1 row. C.O.R. For 2nd. 66 rows, follow stripe sequence from * as for rib.

2. Col. B. K. 34 rows for front neck. Push left needles to E pos. 61 (65, 69) sts. H.C.L's III. 800 H.C.L. 1. K. right side first. Dec. 1 st. at 034 and every foll. 4th row 29 (30, 31) times to shoulder. K. 32 rows to armholes.

3. Cast off 5 (6, 7) sts. at beg. of next 2 rows to 111 (117, 123) sts. on front to 55 (58, 61) sts.

4. Dec. 1 st. each end of every 3rd row, 12 times to 87 (93, 99) sts. K. to 36 rows.

5. 44 (46, 48) rows to shoulder.

6. Cast off 5 (5, 6) sts. at beg. of next 4 rows, then cast off 4 (6, 6) sts. On back cast off rem. 59 (61, 63) sts. Repeat from (2) for left front. Cast off 1 st. extra on neck edge at shoulder.

NECKBAND

Rib Col. A. Cast on 199 sts. as for back (1) rib. K. 8 rows. Col. B. K. 4 rows. Col. A. K. 9 rows.

Single machines Col. A. Cast on 100 sts. on alt. needles. T4. K. 8 rows. Col. B. K. 4 rows. Col. A. K. 9 rows. T7. K. 1. T4. K. 21 rows. M.D.E. Dec. 1st 199 sts. Press back and front, join shoulders. Place right front to first 70 (69, 68) sts., back neck to next 59 (61, 63) sts., cast off to this point, place rest of front to remainder of needles.

ARMBANDS

Rib Cast on 107 (109, 111) sts. Col. A. K. 6. Col. B. K. 4.

Single machines Col. B. Cast on 54 (55, 56) sts. on alt. needles. T4. K. 4. Col. B. K. 6. T7. K. 1. T4. K. 10. M.D.E. Dec. 1 st. to 107 (109, 111) sts. Place armhole edge evenly onto needles and cast off to end. Repeat. Join side seams, mitre front neck and sleeve bands. Press seams and bands.

mans windcheater

Materials
Colour A 10 (10, 11, 11) ozs. Robin Courtelle Crepe. Colour B 6 ozs. 4 ply Courtelle Crepe. 16 ins. open ended zip.

Measurements
To fit 34 (36, 38, 40) ins. chest.
Finished measurements 36 (38, 40, 42) ins.

Tension
7 sts. x 10 rows to 1 in. on T7.

ALL WELTS
Bring forward to B pos. no. of needles given. Return centre and every foll. 3rd needle each side to A pos. Cast on with waste wool. K. a few rows. Change to main wool.

BACK WELT
1. Cobh. 111 (119, 127, 135) sts. (extra st. on left of M/C.). Col. B T5. K. 30. Col. A T5. K. 4. Col. A T8. K. 1. Col. A T5. K. 4. Col. B T5. K. 30. M.D.E. Unravel waste yarn. T7. K. 1 row. Change to main yarn Col. A. C.O.R. 000.
2. Inc. 1 st. each end of every 14th row, 8 times to 127 (135, 143, 151) sts. K. to 120 rows. (Adjust length here if desired.) Start 1st patt. 000. Fin. row 72.
3. Cast off 7 sts. at beg. of next 2 rows to 113 (121, 129, 137) sts. C.O.R. 000.
4. Dec. 1 st. each end every 4th row 10 times. 40 rows to 93 (101, 109, 117) sts. Start 2nd jacquard. Row 20.
5. 46 (48, 50, 52) rows to shoulder.





SHOULDER
6. Cast off 1 group of 5 (5, 6, 7) sts. at beg. of next 8 rows. Then cast off 4 (7, 6, 5) sts. at beg. of next 2 rows. Thread up back neck 45 (47, 49, 51) sts.
1. Cast on 55 (59, 63, 67) sts. as for back welt. Extra st. on left of M/C.
2. K. to 120 rows (adjust length here if required). Start 1st patt. at 000. Fin. row 72.
3. Inc. 1 st. each end of every 14th row, 8 times to 63 (67, 71, 75) sts. (120 rows.) Cast off 7 sts. to 56 (60, 64, 68) sts. K. 2 rows. C.O.R. 000.
4. Dec. 1 st. every 4th row. Start front neck decreases row 20, start 2nd jacquard also row 20. (40 rows.)
4B. Front neck dec. 1 st. at 020. Dec. 1 st. every 3rd row 16 times, then dec. 1 st. every 4th row 6 (7, 8, 9) times to last shoulder. Cast off.
5. 46 (48, 50, 52) rows to shoulder.
6. 10 rows as for back.

FRONT BANDS
Cast on with waste wool 193 (195, 197, 199) sts. (Taking note of the back welt.) Col. A. T5. K. 10. T8. K. 1. T5. K. 10. M.D.E. Press back and fronts, join shoulder seams. With right side of work facing machine, place half of back neck 21 (22, 23, 24) sts. to first needles, place side front neck (to end of jacquard) to next 54 (56, 58, 60) needles and rest of front to remainder of needles. Working through both thicknesses of hem over 24 needles. Repeat for other band.

you write...



SLEEVE

1. Welt in Col. B. Cast on 59 (63, 67, 71) sts. and work as for back welt.
2. Inc. 1 st. each end of every 9th row 16 times to 91 (95, 99, 103) sts. K. to 150 rows.
3. Cast off 7 sts. at beg. of next 2 rows to 77 (81, 85, 89) sts. C.O.R. 000.
4. Dec. 1 st. each end of every 3rd row 14 (14, 15, 15) times to 49 (53, 55, 59) sts. K. to 44 (44, 50, 50) rows.
5. Cast off 2 sts. at beg. each row, 14 times, then cast off 1 (3, 3, 4) sts. at beg. of next 2 rows. Cast off rem. 19 (19, 21, 23) sts. (16 rows.)

TO MAKE UP

Press sleeves. Sew tops into armholes. Join side and sleeve seams. Finish off band edges. Sew in zip. Press all seams and bands.



Mrs. J. Taylor
42 Princess Gardens
Ashingdon
Essex

Dear Editor,

I have recently received the latest issue of *Stitchin' time* and I must say it does get better with every issue.

I have had my machine, the 585 model, for nearly four years. For Christmas 1972 my husband bought me the Knitleader and the previous Christmas, the Ribber, so I am 'complete'.

I don't have a lot of time to spend working on the machine, my four year old seems to resent my lack of attention to her. However, I have managed to knit quite a lot of things from a super dress and jacket to a plain cardigan for a baby. Mostly, I have to convert hand knitting patterns for myself as, being one of the 'fatties' (my own description—I'm a size 16), the patterns in your book seem to be more suited to the slimmer figure. I need cardigans and waist coats which cover the tummy!

I think the Ladies' Cardigan Coat included in the No. 5 issue is absolutely super and although your instructions include my size, I can't help feeling that being chunky looking it might add inches.

On the whole, I like the sweaters you include for the men of the family. Could we have some more dresses for four year olds, not 'way out' but modern. Hand knitting patterns seem to be superior in this respect.

Now may I make a plea for some company. I have had *Stitchin' time* since purchasing the machine and I have found this a good 'link' with you, although I have not written to you before, apart from requesting various patterns. I do seem to be rather alone, particularly when I have a query about the machine. My home tutor, Mrs. North, lived quite close but has now moved to the Isle of Sheppey. I attended some meetings in the Civic Centre, Southend-on-Sea, but to my knowledge, these no longer take place. My other contact was Keddies, again in Southend (my nearest town), but they no longer sell your machine. Can you help in this respect, I don't know any other person who has a Jones machine. What are we supposed to do when we come across a problem?

I appreciate, of course, that you now offer the Home Knitting Postal Tuition Courses but do these have all the answers? *(We think it does—Editor.)* It seems rather a lot of money, £12·50 in all, to obtain these courses, particularly as I must surely know a good deal of the contents already. Could you not let people in the same position as myself have these books on approval for say 10 days to enable us to decide whether it would be a wise purchase?

I sometimes feel that I haven't used my machine to its full capacity. I know it is capable of so much but already it seems almost out of date. Patterns are now appearing in *Stitchin' time* exclusively for the latest machine. The charts are for the 800 and 588 machines. Do I follow the chart for the 588, converting the '+' for 'A' for the Reverse Dial, and what does '/' mean for the S.D. for the 585? I would welcome your advice.

Yet another question. When knitting ribbed garments I keep the weights on but recently when I was knitting a ribbed sweater for my husband, the weights and the cast on comb reached the floor as I approached the armhole. As a result my husband had to lie on the floor under the machine table and pull on the knitting to maintain the tension, until I actually reached the armhole. I then converted the pattern to stocking stitch from the armhole to the neck, doing the same for the sleeves, and actually the result is quite effective. If you do have any tips on how to overcome this problem I am sure my husband would appreciate them!

I was pleased to see the Action Man Outfit in issue No. 5. My little girl loves the teenage type dolls so may we have some more outfits please.

I can't recall when my subscription for *Stitchin' time* is due but no doubt you will remind me in good time—I wouldn't want to miss an issue.

Yours faithfully,
J. Taylor (Mrs.)

SUBSCRIPTION WINNER

Dear Madam,

Thank you for your very nice letter. I am pleased to hear that you like our magazine.

You are correct in your assumption that you should follow the instructions for the model 588 converting A and B to + and – for the reverse lever/reverse dial. The other indication you show, the '/' must be a misprint as we cannot recall ever using this particular abbreviation or sign.

Regarding the ribbed garments, when the weight reaches the floor, unhook the weights from the comb and taking care to wrap some brown paper round the teeth of the comb roll it back into the work and run ordinary knitting needles through the work to hold the comb up. The weights can then be re-eased through the knitting and you can continue without your husband lying on the floor pulling the work down.

By the way, if you are thinking of buying a new machine, our new model punch card knitter illustrated on page 7 will probably be the answer even though it is a bit expensive.

Yours faithfully,
The Editor

Mrs. A. Spackman
St. Thomas' Rectory
Stewart Town
Trelawny
Jamaica

When we moved out here last August I wondered if I was being stupid bringing my knitting machine with me but (a) I have a sort of love affair going with it and (b) I thought there would be scope with cotton knits for myself and friends.

Since I have been here I have had no cotton in the machine at all. January and February were quite cool so there were sweaters for family and friends and a stole for myself, baby cardigans are always useful as morning and evening are cool. A knitweave bag from a pattern I cut from *Womans Realm* has proved popular but best of all! *Ski hats* from a *Stitchin' time* pattern, which you issued about 2 years ago, with a knitweave border. The boys of the village felt almost nude without this type of hat! My husband says that next time we move he'll take a parish in the arctic and see if I can sell refrigerators to eskimos!

Yours sincerely,
Alice Spackman

✻

Home Tutor 344
Mrs. Janet Evans
5 Cotswold Close
Pagmoor
Barnsley
Yorkshire

Many of the patterns from the 2 guinea book, are attractive when viewed from the 'wrong side'. By knitting test squares of all those that seemed to have good 'dual purpose potential', I chose the best of them to make jumpers and cardigans for my two small sons, by lacing the seams to achieve an absolutely flat finish, I produced for the boys numerous reversible garments, and so now when my children get dirty (as only little boys know how!) a quick change makes them presentable again. It is important to remember, however, that a garment can be changed over only once. I well remember an afternoon when my two year old accompanied me on a teaching expedition and, along with my pupil's small son, emerged from a playing session looking rather as though he had been exploring a coal-mine. The pupil was apologetic that I should have to take him home in such a state—I breezily assured her that she need not worry on my behalf, I catered for such occasions by making his clothes reversible and to demonstrate what a good idea this was, I whipped his jumper off and on again. What I had forgotten was, that I had done exactly the same thing before we had arrived, and there he stood, with the contents of my car ash tray, imprinted across his front. This was met by roars of laughter from the assembled company and has formed the basis of a happy friendship.

P.S. The numerous test squares required at the outset of this 'two-timing' venture have not gone to waste . . . stitched together they made attractive cot blankets for a second child.

When I made the blankets I also made cross-reference plans on sheets of graph paper so that I could identify squares and their appropriate numbers in the 2 guinea book. Now . . . if only I could remember where I put those sheets of graph paper!!!

✻

Mrs. A. Stockdale
58 Winsford Gardens
Westcliff on Sea
Essex

I've just bought a copy of *Stitchin' time* Vol. 5 No. 2—it's such a vast improvement on the rather 'mumish' mag. it used to be that I am sending in a sub. to the magazine. An *all* knitting magazine is a *much* better idea.

The high fashion section is an *absolute must* for this magazine—this section is absolutely super. The smock top is mouth watering, the jacquard dress is super-smart, the flared striped jacket (p. 18) is gorgeous—but the striped trouser suit on p. 22 is YUK!! Very 'fat-making' even on a presumably slim model. Anyway do keep the Neville Rayner designs coming—he's brilliant. Everyone wants to knit something fashionable that they can wear with pleasure.

Yours truly,
A. Stockdale

✻

Mrs. T. Donnelly
Aughafad
Fintona
Co. Tyrone
N. Ireland

Madam,

I think this is a wonderful book, having encouraged all my pupils to buy it, as I'm the tutor for Tyrone and Fermanagh for Jones and Brother knitting machine.

I'd appreciate correspondence with some of your tutors there especially the Leeds lady, this should be an interesting link up between tutors. (We don't need petrol to keep up with the Jones.) After my Xmas knitting rush, I'll send in some funny but interesting comments picked up around the country.

Terisa Donnelly (Mrs.)

Mrs. M. Kitching
233 Bexhill Road
St. Leonards-on-Sea
Sussex

Dear Editor,

The patterns you include in this magazine are extremely good and gradually I am finding someone for each of them. For myself I am awaiting the time and courage to begin on something from the 'Fashion Format' section.

Being the proud possessor of a model 800 machine for about a year now I still experience the sense of opening a new and mysterious gift each time I use it. The 'designer' element in me is fully satisfied and having studied and even used other makes of knitting machines, I am convinced this is the best machine on the market, allowing creativity to be married to automation.

Yours sincerely,
Mrs. Maureen Kitching

Dear Madam,

Thank you for your renewal. Unfortunately this is the last time the magazine will cost only £1·25 for the five issues and from now on it will have to be £1·50.
I hope you like the new layout for the magazine and will pluck up courage to try some of the fashion section.

Yours faithfully,
The Editor

✻

Mrs. E. Ford
1 Derwent Gardens
Ilford
Essex
IG4 5NA

Dear Madam,

I would like to say how much I like the new 'Couture' feature, and in particular the lovely flared stripe jacket. I hope we may look forward to having more of these patterns.

I think other readers will be interested to know how to cast off by machine with a 'hand-knit' look:

Knit the end stitch by hand and leave it on the needle. Take the second stitch from the next needle and place it onto the first needle and knit the two together by hand, and placing it on the second, pushing the first needle down to position A.

Continue in this way, i.e. taking one stitch backwards before knitting two together, until all the stitches are knitted off. You will have a very nice chain stitch edge.

Yours faithfully,
E. Ford

PATTERNS PATTERNS PATTERNS

from Jones the knitting machine people

Here's the new style pattern service from Jones – superb collections of garments presented in attractive booklet form, each booklet containing a series of garments for one section of your family.

*

Booklet 1: features ribbed garments. 2: general family garments. 3: toddlers' garments. 4: garments for children. 5: garments for ladies. 6: garments for men.

*

AND NOW TWO MORE ADDITIONS TO THE RANGE – Booklet 7: features garments from the very popular magazine "HOME SEWING AND KNITTING" and Booklet 8: a series of simple and basic patterns.

*

Each booklet is only 25p including postage and packing and can either be obtained from your local Jones stockist or direct from Jones Sewing Machine Co. Ltd, Audenshaw, Manchester.

*

Start collecting the set now – they'll give you many hours of enjoyable knitting and super garments for all your family.

*

Jones Jones Sewing Machine Co. Ltd.,
Britannia House, 964 High Road, Finchley, London, N.12